

Stable releases - Tasks #21742

jewel v10.2.11

10/10/2017 06:56 AM - Nathan Cutler

| | | | |
|------------------------|---------------|---------------------------|------------|
| Status: | Resolved | Start date: | 10/10/2017 |
| Priority: | Urgent | Due date: | |
| Assignee: | Nathan Cutler | % Done: | 0% |
| Category: | | Estimated time: | 0.00 hour |
| Target version: | v10.2.11 | Affected Versions: | |
| Tags: | | Pull request ID: | |
| Reviewed: | | | |

Description

Workflow

- [Preparing the release](#)
 - Nathan patches upgrade/jewel-x/point-to-point-x to do 10.2.0 -> current Jewel point release -> x
- [Cutting the release](#)
 - Nathan asks Abhishek L. if a point release should be published
 - Nathan gets approval from all leads
 - Yehuda, rgw
 - Patrick, fs
 - Jason, rbd
 - Josh, rados
 - Abhishek L. writes and commits the release notes
 - Nathan informs Yuri that the branch is ready for testing
 - Yuri runs additional integration tests
 - If Yuri discovers new bugs that need to be backported urgently (i.e. their priority is set to **Urgent** or **Immediate**), the release goes back to being prepared; it was not ready after all
 - Yuri informs Alfredo that the branch is ready for release
 - Alfredo creates the packages and sets the release tag
 - Abhishek L. posts release announcement on <https://ceph.com/community/blog>

Release information

- branch to build from: jewel, commit: TBD
- version: v10.2.11
- type of release: point release
- where to publish the release: <http://download.ceph.com/debian-jewel> and <http://download.ceph.com/rpm-jewel>

History

#1 - 10/10/2017 06:57 AM - Nathan Cutler

- Status changed from New to In Progress

<https://shaman.ceph.com/builds/ceph/wip-jewel-backports/7c4c04a59c15d8e53f2baed03dd8f67743d1d847/>

```
git --no-pager log --format=%H %s' --graph ceph/jewel..wip-jewel-backports | perl -p -e 's/' /g; if (/\w+\s+Merge pull request #(\d+)/) { s|\w+\s+Merge pull request #(\d+).*"Pull request $1":https://github.com/ceph/ceph/pull/$1|; } else { s|(\w+)\s+(\.*)"|$2":https://github.com/ceph/ceph/commit/$1|; } s^*/+/: s/^/* /;'
```

- + [Pull request 18165](#)
- | \
- | + [qa: stop testing btrfs](#)
- | + [qa/suites: remove 'fs' facet from all tests](#)
- | + [qa/objectstore: split filestore into xfs and btrfs variants](#)
- + [Pull request 18080](#)
- | \
- | + [radosgw: fix awsv4 header line sort order.](#)
- + [Pull request 17942](#)
- | \
- | + [ceph-disk: fix '--runtime' omission for ceph-osd service](#)

- + [Pull request 17893](#)
- | \
- | + [qa/tasks/thrashosds: chance_thrash_cluster_full](#)
- | + [osdc/Objecter: resend RWORDERED ops on full](#)
- | + [osdc/Objecter: If osd full, it should pause read op which w/ rwordered flag.](#)
- + [Pull request 17883](#)
- | \
- | + [global/signal_handler: fix typo](#)
- + [Pull request 17847](#)
- | \
- | + [qa: use xfs instead of btrfs w/ filestore](#)
- + [Pull request 17841](#)
- | \
- | + [systemd: Add explicit Before=ceph.target](#)
- + [Pull request 17818](#)
- | \
- | + [tests: make upgrade tests use supported distros](#)
- + [Pull request 17731](#)
- | \
- | + [rgw: fix marker encoding problem.](#)
- + [Pull request 17707](#)
- | \
- | + [OSD: also check the existence of clone obc for CEPH_SNAPDIR requests](#)
- | + [ceph_test_rados_api_tier: add ListSnap test](#)
- + [Pull request 17594](#)
- | \
- | + [librados: copy out data to users' buffer for xio](#)
- + [Pull request 17188](#)
- | \
- | + [mds: use client_t instead of int for client ID](#)
- + [Pull request 17151](#)
- | \
- | + [rgw: don't specify a length when convert bl -> string](#)
- + [Pull request 17149](#)
- | \
- | + [rgw_file: avoid a recursive lane lock in LRU drain](#)
- + [Pull request 17101](#)
- | \
- | + [qa/workunits/cephtool/test.sh: add sudo for daemon compact](#)
- | + [test: add test of ceph compact command](#)
- | + [osd: new command compact via tell/daemon](#)
- | + [os: export compact interface in ObjectStore and ObjectMap](#)
- + [Pull request 17082](#)
- + [osd: default osd_scrub_during_recovery=false](#)

#2 - 10/10/2017 07:01 AM - Nathan Cutler

rados

teuthology-suite -k distro --priority 999 --suite rados --subset \$(expr \$RANDOM % 50)/50 --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

running http://pulpito.front.sepia.ceph.com:80/smithfarm-2017-10-10_18:25:20-rados-wip-jewel-backports-distro-basic-smithi/

rados baseline

<https://shaman.ceph.com/builds/ceph/wip-jewel-baseline/5bebd7cdfcda93eb7755c42408fcb785bbb663fc/>

teuthology-suite -k distro --priority 101 --subset \$(expr \$RANDOM % 50)/50 --email ncutler@suse.com --ceph wip-jewel-baseline --suite rados --machine-type smithi

running http://pulpito.front.sepia.ceph.com:80/smithfarm-2017-10-19_13:55:19-rados-wip-jewel-baseline-distro-basic-smithi/

Possible issues

- <http://tracker.ceph.com/issues/15454>

#3 - 10/10/2017 07:02 AM - Nathan Cutler

powercycle

teuthology-suite -v -c wip-jewel-backports -k distro -m smithi -s powercycle -p 999 -l 2 --email ncutler@suse.com

running http://pulpito.front.sepia.ceph.com:80/smithfarm-2017-10-10_18:31:20-powercycle-wip-jewel-backports-distro-basic-smithi/

#4 - 10/10/2017 07:02 AM - Nathan Cutler

Upgrade jewel point-to-point-x

teuthology-suite -k distro --verbose --suite upgrade/jewel-x/point-to-point-x --ceph wip-jewel-backports --machine-type vps --priority 999 --email ncutler@suse.com

*

#5 - 10/10/2017 07:02 AM - Nathan Cutler

Upgrade hammer-x

teuthology-suite -k distro --verbose --suite upgrade/hammer-x --ceph wip-jewel-backports --machine-type vps --priority 999 --email ncutler@suse.com

running http://pulpito.front.sepia.ceph.com:80/smithfarm-2017-10-10_18:33:40-upgrade:hammer-x-wip-jewel-backports-distro-basic-vps/

#6 - 10/10/2017 07:03 AM - Nathan Cutler

fs

teuthology-suite -k distro --priority 999 --suite fs --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

running http://pulpito.front.sepia.ceph.com:80/smithfarm-2017-10-10_18:31:39-fs-wip-jewel-backports-distro-basic-smithi/

#7 - 10/10/2017 07:03 AM - Nathan Cutler

rgw

teuthology-suite -k distro --priority 999 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2)/2

*

#8 - 10/10/2017 07:03 AM - Nathan Cutler

ceph-disk

teuthology-suite -k distro --verbose --suite ceph-disk --ceph wip-jewel-backports --machine-type vps --priority 999 --email ncutler@suse.com

pass http://pulpito.front.sepia.ceph.com:80/smithfarm-2017-10-10_18:33:12-ceph-disk-wip-jewel-backports-distro-basic-vps/

#9 - 10/10/2017 07:03 AM - Nathan Cutler

Upgrade client-upgrade

teuthology-suite -k distro --verbose --suite upgrade/client-upgrade --ceph wip-jewel-backports --machine-type vps --priority 999 --email ncutler@suse.com

pass http://pulpito.front.sepia.ceph.com:80/smithfarm-2017-10-10_18:34:08-upgrade:client-upgrade-wip-jewel-backports-distro-basic-vps/

#10 - 12/14/2017 11:02 AM - Nathan Cutler

jewel baseline

Test Run: teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/

logs: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/

failed: 21

dead: 0

running: 0

waiting: 0

queued: 0

passed: 345

failed jobs

<http://tracker.ceph.com/issues/22064>

[1946733] rados/thrash/{0-size-min-size-overrides/2-size-1-min-size.yaml 1-pg-log-overrides/short_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/few.yaml msgr/simple.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/pggrows.yaml workloads/snaps-few-objects.yaml}

time: 00:23:55

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946733/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946733/

[1946550] rados/thrash-erasure-code/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/morepggrows.yaml workloads/ec-rados-plugin=jerasure-k=3-m=1.yaml}

time: 00:24:32

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946550/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946550/

[1946659] rados/thrash/{0-size-min-size-overrides/3-size-2-min-size.yaml 1-pg-log-overrides/short_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/fastclose.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/pggrows.yaml workloads/small-objects.yaml}

time: 00:19:37

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946659/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946659/

[1946560] rados/thrash-erasure-code-isa/{arch/x86_64.yaml clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml objectstore/filestore-xfs.yaml rados.yaml supported/centos_latest.yaml thrashers/pggrows.yaml workloads/ec-rados-plugin=isa-k=2-m=1.yaml}

time: 00:19:39

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946560/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946560/

[1946610] rados/thrash/{0-size-min-size-overrides/3-size-2-min-size.yaml 1-pg-log-overrides/normal_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/osd-delay.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/default.yaml workloads/cache.yaml}

time: 00:07:59

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946610/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946610/

[1946540] rados/thrash/{0-size-min-size-overrides/3-size-2-min-size.yaml 1-pg-log-overrides/short_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/osd-delay.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/mapgap.yaml workloads/cache.yaml}

time: 00:09:12

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946540/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946540/

[1946505] rados/upgrade/{hammer-x-singleton/{0-cluster/{openstack.yaml start.yaml} 1-hammer-install/hammer.yaml 2-partial-upgrade/firsthalf.yaml 3-thrash/default.yaml 4-mon/mona.yaml 5-workload/{rbd-cls.yaml rbd-import-export.yaml readwrite.yaml snaps-few-objects.yaml} 6-next-mon/monb.yaml 7-workload/{radosbench.yaml rbd_api.yaml} 8-next-mon/monc.yaml 9-workload/{ec-rados-plugin=jerasure-k=3-m=1.yaml rbd-python.yaml rgw-swift.yaml snaps-many-objects.yaml test_cache-pool-snaps.yaml}} rados.yaml}

time: 00:48:23

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946505/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946505/

[1946624] rados/thrash-erasure-code-isa/{arch/x86_64.yaml clusters/{fixed-2.yaml openstack.yaml} msgr-failures/osd-delay.yaml objectstore/filestore-xfs.yaml rados.yaml supported/centos_latest.yaml thrashers/morepggrows.yaml workloads/ec-rados-plugin=isa-k=2-m=1.yaml}

time: 00:22:22

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946624/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946624/

[1946742] rados/thrash-erasure-code/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/osd-delay.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/fastread.yaml workloads/ec-rados-plugin=jerasure-k=2-m=1.yaml}

time: 00:10:59

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946742/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946742/

unknown bug (pg scrub)

[1946661] rados/singleton-nomsgr/{all/lfn-upgrade-hammer.yaml rados.yaml}

time: 00:07:59

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946661/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946661/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=9e91146071534358a11fcd801e885bb6>

```
Command failed on smithi066 with status 11: 'sudo adjust-ulimits ceph-coverage /home/ubuntu/ceph-test/archive/coverage ceph --cluster ceph pg scrub 1.0'
```

[1946668] rados/singleton-nomsgr/{all/lfn-upgrade-hammer.yaml rados.yaml}

time: 00:08:11

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946668/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946668/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=33e63388606641688e9bd060215eedca>

```
Command failed on smithi097 with status 11: 'sudo adjust-ulimits ceph-coverage /home/ubuntu/ceph-test/archive/coverage ceph --cluster ceph pg scrub 1.0'
```

[1946702] rados/singleton-nomsgr/{all/lfn-upgrade-infernalis.yaml rados.yaml}

time: 00:07:32

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946702/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946702/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=cb2ac784f453498c93c0e035291a9168>

```
Command failed on smithi066 with status 11: 'sudo adjust-ulimits ceph-coverage /home/ubuntu/ceph-test/archive/coverage ceph --cluster ceph pg scrub 1.0'
```

unknown bug (s3tests-test-readwrite)

[1946832] rados/thrash/{0-size-min-size-overrides/2-size-2-min-size.yaml 1-pg-log-overrides/normal_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/fastclose.yaml msgr/async.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/morepggrow.yaml workloads/rgw_snaps.yaml}

time: 00:17:20

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946832/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946832/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=5441064ef9de493fa0ab04a706defa5a>

```
Command failed on smithi194 with status 1: '/home/ubuntu/ceph-test/s3-tests/virtualenv/bin/s3tests-test-readwrite'
```

[1946791] rados/thrash/{0-size-min-size-overrides/2-size-2-min-size.yaml 1-pg-log-overrides/normal_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/osd-delay.yaml msgr/async.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/default.yaml workloads/rgw_snaps.yaml}

time: 00:17:19

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946791/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946791/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=461d2f0603494ed4a17deb9a0584f507>

```
Command failed on smithi189 with status 1: '/home/ubuntu/ceph-test/s3-tests/virtualenv/bin/s3tests-test-readwrite'
```

unknown bug (rados/test.sh)

[1946711] rados/thrash/{0-size-min-size-overrides/2-size-2-min-size.yaml 1-pg-log-overrides/normal_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/osd-delay.yaml msgr/async.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/morepggrow.yaml workloads/rados_api_tests.yaml}

time: 00:21:37

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946711/
log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946711/
sentry: <http://sentry.ceph.com/sepia/teuthology/?q=fb5a82abf33a4f2aaa71d9b356517095>

```
Command failed (workunit test rados/test.sh) on smithi072 with status 1:
'mkdir /home/ubuntu/cephtest/mnt.0/client.0/tmp && cd --
/home/ubuntu/cephtest/mnt.0/client.0/tmp && CEPH_CLI_TEST_DUP_COMMAND=1
CEPH_REF=jewel TESTDIR="/home/ubuntu/cephtest" CEPH_ARGS="--cluster ceph"
CEPH_ID="0" PATH=$PATH:/usr/sbin
CEPH_BASE=/home/ubuntu/cephtest/clone.client.0 adjust-ulimits ceph-coverage
/home/ubuntu/cephtest/archive/coverage timeout 3h
/home/ubuntu/cephtest/clone.client.0/qa/workunits/rados/test.sh'
```

[1946818] rados/thrash/{0-size-min-size-overrides/2-size-2-min-size.yaml 1-pg-log-overrides/short_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/fastclose.yaml msgr/async.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/pggrow.yaml workloads/rados_api_tests.yaml}

time: 00:18:55
info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946818/
log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946818/
sentry: <http://sentry.ceph.com/sepia/teuthology/?q=169c9f3c3d7b480d9c9a248fc062637e>

```
Command failed (workunit test rados/test.sh) on smithi140 with status 1:
'mkdir /home/ubuntu/cephtest/mnt.0/client.0/tmp && cd --
/home/ubuntu/cephtest/mnt.0/client.0/tmp && CEPH_CLI_TEST_DUP_COMMAND=1
CEPH_REF=jewel TESTDIR="/home/ubuntu/cephtest" CEPH_ARGS="--cluster ceph"
CEPH_ID="0" PATH=$PATH:/usr/sbin
CEPH_BASE=/home/ubuntu/cephtest/clone.client.0 adjust-ulimits ceph-coverage
/home/ubuntu/cephtest/archive/coverage timeout 3h
/home/ubuntu/cephtest/clone.client.0/qa/workunits/rados/test.sh'
```

unknown bug (ceph_test_objectstore)

[1946822] rados/objectstore/objectstore.yaml

time: 00:29:18
info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946822/
log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946822/
sentry: <http://sentry.ceph.com/sepia/teuthology/?q=4208171c7e2741fd858f83593bab6c94>

```
Command failed on smithi079 with status 1: "sudo
TESTDIR=/home/ubuntu/cephtest bash e 'mkdir $TESTDIR/ostest && cd
$TESTDIR/ostest && ceph_test_objectstore gtest_filter=*/2:~*/3'"
```

[1946825] rados/objectstore/objectstore.yaml

time: 00:30:51
info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946825/
log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946825/
sentry: <http://sentry.ceph.com/sepia/teuthology/?q=fc7c7caa0cb048c6ad81f146bf0a5632>

```
Command failed on smithi012 with status 1: "sudo
TESTDIR=/home/ubuntu/cephtest bash e 'mkdir $TESTDIR/ostest && cd
$TESTDIR/ostest && ceph_test_objectstore gtest_filter=*/2:~*/3'"
```

unknown bug (rados/test_python.sh)

[1946510] rados/basic/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/many.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml tasks/rados_python.yaml}

time: 00:11:23
info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946510/
log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946510/
sentry: <http://sentry.ceph.com/sepia/teuthology/?q=dcda0e82ef434650865b17fc96c8b64b>

```
Command failed (workunit test rados/test_python.sh) on smithi080 with
status 134: 'mkdir /home/ubuntu/cephtest/mnt.0/client.0/tmp && cd --
/home/ubuntu/cephtest/mnt.0/client.0/tmp && CEPH_CLI_TEST_DUP_COMMAND=1
```

```
CEPH_REF=jewel TESTDIR="/home/ubuntu/ceph-test" CEPH_ARGS="--cluster ceph"
CEPH_ID="0" PATH=$PATH:/usr/sbin
CEPH_BASE=/home/ubuntu/ceph-test/clone.client.0 adjust-ulimits ceph-coverage
/home/ubuntu/ceph-test/archive/coverage timeout 3h
/home/ubuntu/ceph-test/clone.client.0/qa/workunits/rados/test_python.sh'
```

unsynchronized clocks

[1946757] rados/thrash/{0-size-min-size-overrides/3-size-2-min-size.yaml 1-pg-log-overrides/normal_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/fastclose.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/default.yaml workloads/cache-pool-snaps-readproxy.yaml}

time: 00:29:30

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946757/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946757/

```
"2017-12-13 18:39:27.046136 mon.0 172.21.15.175:6789/0 3 : cluster [WRN]
message from mon.1 was stamped 0.565550s in the future, clocks not
synchronized" in cluster log
```

[1946740] rados/thrash/{0-size-min-size-overrides/3-size-2-min-size.yaml 1-pg-log-overrides/normal_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/few.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/morepggrow.yaml workloads/cache.yaml}

time: 00:14:27

info: http://pulpito.ceph.com/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946740/

log: http://qa-proxy.ceph.com/teuthology/teuthology-2017-12-09_02:00:03-rados-jewel-distro-basic-smithi/1946740/

```
"2017-12-13 18:33:09.130862 mon.2 172.21.15.36:6790/0 2 : cluster [WRN]
message from mon.0 was stamped 0.626381s in the future, clocks not
synchronized" in cluster log
```

#11 - 02/02/2018 09:41 AM - Nathan Cutler

rgw integration run

PRs in wip-jewel-backports:

<https://github.com/ceph/ceph/pull/20074> - jewel: rgw: user creation can overwrite existing user even if different uid is given
<https://github.com/ceph/ceph/pull/20061> - jewel: rgw: automated trimming of datalog and mdlog
<https://github.com/ceph/ceph/pull/20057> - jewel: rgw_file: alternate fix deadlock on lru eviction
<https://github.com/ceph/ceph/pull/20039> - jewel: rgw: resharding needs to set back the bucket ACL after link
<https://github.com/ceph/ceph/pull/19908> - jewel: rgw: dont log EBUSY errors in 'sync error list'
<https://github.com/ceph/ceph/pull/19783> - jewel: rgw: segfaults after running radosgw-admin data sync init
<https://github.com/ceph/ceph/pull/19769> - jewel: rgw: resolve Random 500 errors in Swift PutObject (22517)
<https://github.com/ceph/ceph/pull/19747> - jewel: rgw: fix doubled underscore with s3/swift server-side copy
<https://github.com/ceph/ceph/pull/19469> - jewel: rgw: fix chained cache invalidation to prevent cache size growth
<https://github.com/ceph/ceph/pull/19194> - jewel: rgw: fix swift anonymous access.
<https://github.com/ceph/ceph/pull/18305> - jewel: rgw: multisite: Get bucket location which is located in another zonegroup, will return 301 Moved Permanently
<https://github.com/ceph/ceph/pull/18121> - jewel: RGW: Multipart upload may double the quota
<https://github.com/ceph/ceph/pull/18116> - jewel: rgw: release cls lock if taken in RGWCompleteMultipart
<https://github.com/ceph/ceph/pull/17731> - jewel: rgw: fix marker encoding problem.
<https://github.com/ceph/ceph/pull/17151> - jewel: rgw: log includes zero byte sometimes
<https://github.com/ceph/ceph/pull/17149> - jewel: rgw: rgw_file: recursive lane lock can occur in LRU drain
<https://github.com/ceph/ceph/pull/16763> - jewel: rgw: fix the bug that part's index can't be removed after completing
<https://github.com/ceph/ceph/pull/16708> - jewel: rgw: 15912 15673 (Fix duplicate tag removal during GC, cls/refcount: store and use list of retired tags)

Build: **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/47dfab2209db5731e5d2931b8a2df8068ee56bbe/>

teuthology-suite -k distro --priority 99 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 3)/3

- **fail** 46 jobs http://pulpito.ceph.com/smithfarm-2018-02-02_11:26:34-rgw-wip-jewel-backports-distro-basic-smithi/
 - **new bug, not reproducible** <http://tracker.ceph.com/issues/22899> "No summary info found for user: foo"
 - http://pulpito.ceph.com/smithfarm-2018-02-02_11:26:34-rgw-wip-jewel-backports-distro-basic-smithi/2141623/
 - rerunning thrice: **pass** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-02_12:12:06-rgw-wip-jewel-backports-distro-basic-smithi/
 - and another three times: **pass** http://pulpito.ceph.com/smithfarm-2018-02-02_12:07:47-rgw-wip-jewel-backports-distro-basic-smithi/
 - **clocks not synchronized** (on btrfs)
 - http://pulpito.ceph.com/smithfarm-2018-02-02_11:26:34-rgw-wip-jewel-backports-distro-basic-smithi/2141646/
 - rgw/multifs/{clusters/fixed-2.yaml frontend/civetweb.yaml fs/btrfs.yaml objectstore/filestore-xfss.yaml overrides.yaml rgw_pool_type/ec.yaml tasks/rgw_multipart_upload.yaml}
 - **rsyslog unwind failure** (on btrfs)
 - http://pulpito.ceph.com/smithfarm-2018-02-02_11:26:34-rgw-wip-jewel-backports-distro-basic-smithi/2141649/

teuthology-suite -k distro --priority 99 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **fail** 136 jobs http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-02_13:07:07-rgw-wip-jewel-backports-distro-basic-smithi/
 - **clock skew**
 - http://pulpito.ceph.com/smithfarm-2018-02-02_13:07:07-rgw-wip-jewel-backports-distro-basic-smithi/2141700/
 - **clocks not synchronized**
 - http://pulpito.ceph.com/smithfarm-2018-02-02_13:07:07-rgw-wip-jewel-backports-distro-basic-smithi/2141767/
 - rgw/multifs/{clusters/fixed-2.yaml frontend/civetweb.yaml fs/btrfs.yaml objectstore/filestore-xfss.yaml overrides.yaml rgw_pool_type/ec.yaml tasks/rgw_roundtrip.yaml}
- re-run **pass** 2 jobs http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-02_16:10:16-rgw-wip-jewel-backports-distro-basic-smithi/

Conclusion: PASS

#12 - 02/02/2018 09:49 PM - Nathan Cutler

cephfs integration run

PRs in wip-jewel-backports:

<https://github.com/ceph/ceph/pull/20067> - jewel: mds: unbalanced auth_pin/auth_unpin in RecoveryQueue code
<https://github.com/ceph/ceph/pull/19975> - jewel: client: release revoking Fc after invalidate cache
<https://github.com/ceph/ceph/pull/19907> - jewel: cephfs: ceph.in: pass RADOS inst to LibCephFS
<https://github.com/ceph/ceph/pull/19611> - jewel: include/fs_types: fix unsigned integer overflow
<https://github.com/ceph/ceph/pull/18084> - jewel: ceph_volume_client: fix setting caps for IDs
<https://github.com/ceph/ceph/pull/17925> - jewel: client: set client_try_dentry_invalidate to false by default
<https://github.com/ceph/ceph/pull/17188> - jewel: mds: fix integer overflow

Build: **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/0576fd69f7b956f43df0229f1360c3946e91ef93/>

teuthology-suite -k distro --priority 101 --suite fs --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **fail** 88 jobs http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-03_07:18:54-fs-wip-jewel-backports-distro-basic-smithi/
 - **clocks not synchronized** http://pulpito.ceph.com/smithfarm-2018-02-03_07:18:54-fs-wip-jewel-backports-distro-basic-smithi/2146695
- rerun **pass** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-03_17:43:16-fs-wip-jewel-backports-distro-basic-smithi/

Conclusion: PASS

#13 - 02/04/2018 09:15 AM - Nathan Cutler

rbd integration run

PRs in wip-jewel-backports:

<https://github.com/ceph/ceph/pull/20287> - jewel: class rbd.Image discard----OSError: [errno 2147483648] error discarding region
<https://github.com/ceph/ceph/pull/20286> - jewel: abort in listing mapped nbd devices when running in a container
<https://github.com/ceph/ceph/pull/20282> - jewel: [journal] tags are not being expired if no other clients are registered
<https://github.com/ceph/ceph/pull/20281> - jewel: [rbd] image-meta list does not return all entries
<https://github.com/ceph/ceph/pull/20280> - jewel: [cli] rename of non-existent image results in seg fault
<https://github.com/ceph/ceph/pull/20146> - jewel: repair_test fails due to race with osd start
<https://github.com/ceph/ceph/pull/20143> - jewel: ObjectStore/StoreTest.FiemapHoles/3 fails with kstore
<https://github.com/ceph/ceph/pull/19855> - jewel: rbd: librbd: filter out potential race with image rename
<https://github.com/ceph/ceph/pull/19801> - jewel: rbd ls -l crashes with SIGABRT
<https://github.com/ceph/ceph/pull/19644> - jewel: rbd-mirror: cluster watcher should ensure it has latest OSD map
<https://github.com/ceph/ceph/pull/19186> - jewel: rbd: disk usage on empty pool no longer returns an error message
<https://github.com/ceph/ceph/pull/19115> - jewel: [rbd-nbd] Fedora does not register resize events
<https://github.com/ceph/ceph/pull/19098> - jewel: librbd: set deleted parent pointer to null
<https://github.com/ceph/ceph/pull/18843> - jewel: rbd: rbd crashes during map

Build: **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/eef7cddfe52e3a6df8172804af17024cd606245d/>

teuthology-suite -k distro --priority 101 --suite rbd --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2)/2

- **fail** 154 jobs http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-04_11:04:16-rbd-wip-jewel-backports-distro-basic-smithi/
 - **infrastructure failure** (slow package download)
http://pulpito.ceph.com/smithfarm-2018-02-04_11:04:16-rbd-wip-jewel-backports-distro-basic-smithi/2152463
- rerun **pass** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-06_12:42:35-rbd-wip-jewel-backports-distro-basic-smithi/

teuthology-suite -k distro --priority 999 --suite rbd --email ncutler@suse.com --ceph wip-jewel-backports --machine-type mira --subset \$(expr \$RANDOM % 2000)/2000

- fail 78 jobs http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-04_11:08:50-rbd-wip-jewel-backports-distro-basic-mira/
 - infrastructure failure http://pulpito.ceph.com/smithfarm-2018-02-04_11:08:50-rbd-wip-jewel-backports-distro-basic-mira/2152685/
- rerun pass http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-04_16:41:18-rbd-wip-jewel-backports-distro-basic-mira/

Conclusion: PASS

#14 - 02/06/2018 03:08 PM - Nathan Cutler

rados integration run

PRs included:

- <https://github.com/ceph/ceph/pull/20331> - jewel: snapset xattr corruption propagated from primary to other shards
- <https://github.com/ceph/ceph/pull/20306> - jewel: throttle: Minimal destructor fix for Luminous
- <https://github.com/ceph/ceph/pull/20289> - jewel: test_health_warnings.sh can fail
- <https://github.com/ceph/ceph/pull/20285> - jewel: possible deadlock in various maintenance operations
- <https://github.com/ceph/ceph/pull/20284> - jewel: ceph-objectstore-tool: "\$OBJ get-omaphdr" and "\$OBJ list-omap" scan all pgs instead of using specific pg
- <https://github.com/ceph/ceph/pull/20146> - jewel: repair_test fails due to race with osd start
- <https://github.com/ceph/ceph/pull/20143> - jewel: ObjectStore/StoreTest.FiemapHoles/3 fails with kstore
- <https://github.com/ceph/ceph/pull/20108> - jewel: osd: update heartbeat peers when a new OSD is added
- <https://github.com/ceph/ceph/pull/19978> - jewel: common: compute SimpleLRU's size with contents.size() instead of lru...
- <https://github.com/ceph/ceph/pull/19927> - jewel: config: lower default omap entries recovered at once
- <https://github.com/ceph/ceph/pull/19906> - jewel: HashIndex: randomize split threshold by a configurable amount
- <https://github.com/ceph/ceph/pull/19611> - jewel: include/fs_types: fix unsigned integer overflow
- <https://github.com/ceph/ceph/pull/19330> - jewel: tools/ceph-conf: dump parsed config in plain text or as json
- <https://github.com/ceph/ceph/pull/19141> - jewel: cephfs: Processes stuck waiting for write with ceph-fuse
- <https://github.com/ceph/ceph/pull/19057> - jewel: rgw: add cors header rule check in cors option request
- <https://github.com/ceph/ceph/pull/18850> - jewel: common/config: set rocksdb_cache_size to OPT_U64
- <https://github.com/ceph/ceph/pull/18780> - jewel: RHEL 7.3 Selinux denials at OSD start
- <https://github.com/ceph/ceph/pull/18743> - jewel: Objecter::C_ObjectOperation_sparse_read throws/catches exceptions on -ENOENT
- <https://github.com/ceph/ceph/pull/18294> - jewel: Ubuntu amd64 client can not discover the ubuntu arm64 ceph cluster
- <https://github.com/ceph/ceph/pull/18207> - jewel: rgw: bi list entry count incremented on error, distorting error code
- <https://github.com/ceph/ceph/pull/17952> - jewel: mon: implement max pg per osd limit
- <https://github.com/ceph/ceph/pull/17898> - jewel: common/config_opts.h: Set Filestore rocksdb compaction readahead option.
- <https://github.com/ceph/ceph/pull/17883> - jewel: core: global/signal_handler.cc: fix typo
- <https://github.com/ceph/ceph/pull/17707> - jewel: osd: also check the existence of clone obc for "CEPH_SNAPDIR" requests

Build: pending <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/a95e2c4958b256d75ea1c732c2f2cce45f024081/>

teuthology-suite -k distro --priority 101 --suite rados --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2000)/2000

- fail (7 fail, 107 pass, 114 total)
 - http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/
 - new bug <http://tracker.ceph.com/issues/23006>
 - http://pulpito.front.sepia.ceph.com/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/2160655
 - http://pulpito.front.sepia.ceph.com/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/2160751
 - known bug <https://tracker.ceph.com/issues/22063> <https://tracker.ceph.com/issues/22064>
 - http://pulpito.front.sepia.ceph.com/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/2160668
 - http://pulpito.front.sepia.ceph.com/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/2160739
 - known bug <http://tracker.ceph.com/issues/18739> "Socket is closed" -> "osd/ReplicatedPG.cc: 3042: FAILED assert(0 == "out of order op")"
 - http://pulpito.front.sepia.ceph.com/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/2160662
 - new bug <http://tracker.ceph.com/issues/23007>
 - http://pulpito.front.sepia.ceph.com/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/2160748
 - http://pulpito.front.sepia.ceph.com/smithfarm-2018-02-06_21:07:15-rados-wip-jewel-backports-distro-basic-smithi/2160760
 - Re-run fail http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-15_10:48:02-rados-wip-jewel-backports-distro-basic-smithi/
 - reproduced <http://tracker.ceph.com/issues/23006>
 - reproduced <http://tracker.ceph.com/issues/23007> in a slightly different way
 - other bugs did not reproduce
 - Second re-run fail http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-15_14:09:17-rados-wip-jewel-backports-distro-basic-smithi/
 - reproduced <http://tracker.ceph.com/issues/23006>
 - reproduced <http://tracker.ceph.com/issues/23007>

rados integration run

PRs included:

<https://github.com/ceph/ceph/pull/20508> - jewel: ceph.restart + ceph_manager.wait_for_clean is racy
<https://github.com/ceph/ceph/pull/20463> - test: Adjust for Jewel quirk caused of differences with master
<https://github.com/ceph/ceph/pull/20446> - jewel: Filestore rocksdb compaction readahead option not set by default
<https://github.com/ceph/ceph/pull/20421> - rgw: bucket resharding should not update bucket ACL or user stats
<https://github.com/ceph/ceph/pull/20344> - jewel: mon/OSDMonitor: fix dividing by zero in OSDUtilizationDumper
<https://github.com/ceph/ceph/pull/20289> - jewel: test_health_warnings.sh can fail
<https://github.com/ceph/ceph/pull/20285> - jewel: possible deadlock in various maintenance operations
<https://github.com/ceph/ceph/pull/20284> - jewel: ceph-objectstore-tool: "\$OBJ get-omaphdr" and "\$OBJ list-omap" scan all pgs instead of using specific pg
<https://github.com/ceph/ceph/pull/19611> - jewel: include/fs_types: fix unsigned integer overflow
<https://github.com/ceph/ceph/pull/19141> - jewel: cephfs: Processes stuck waiting for write with ceph-fuse
<https://github.com/ceph/ceph/pull/19057> - jewel: rgw: add cors header rule check in cors option request
<https://github.com/ceph/ceph/pull/18743> - jewel: Objecter::C_ObjectOperation_sparse_read throws/catches exceptions on -ENOENT
<https://github.com/ceph/ceph/pull/18207> - jewel: rgw: bi list entry count incremented on error, distorting error code
<https://github.com/ceph/ceph/pull/17952> - jewel: mon: implement max pg per osd limit

Build: **ok** <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/15a7431ae1866f503265623ee0678a472ddb3d23/>

teuthology-suite -k distro --priority 101 --suite rados --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2000)/2000

- **fail** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-21_15:17:52-rados-wip-jewel-backports-distro-basic-smithi/
 - 4 failures, none seem serious:
 - "wrongly marked me down" in cluster log - in hammer upgrade test
 - two "hard to hit" osd crashes similar to the one in <https://tracker.ceph.com/issues/22743>
 - infrastructure noise (osd failed to deploy)
- Re-run **fail** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-21_21:37:35-rados-wip-jewel-backports-distro-basic-smithi/
 - 1 failure in "rados/thrash-erasure-code-isa/{arch/x86_64.yaml clusters/{fixed-2.yaml openstack.yaml} msgr-failures/fastclose.yaml objectstore/filestore-xfs.yaml rados.yaml supported/ubuntu_14.04.yaml thrashers/mapgap.yaml workloads/ec-rados-plugin=isa-k=2-m=1.yaml}"
 - the "non-cache tier" variant of <https://tracker.ceph.com/issues/22743>
- Re-run **pass** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-22_17:58:16-rados-wip-jewel-backports-distro-basic-smithi/

Conclusion: PASS

rgw integration run

PRs included:

<https://github.com/ceph/ceph/pull/20561> - jewel: rgw: ECANCELED in rgw_get_system_obj() leads to infinite loop
<https://github.com/ceph/ceph/pull/20524> - jewel: test/librbd: utilize unique pool for cache tier testing
<https://github.com/ceph/ceph/pull/20518> - jewel: osd: objecter sends out of sync with pg epochs for proxied ops
<https://github.com/ceph/ceph/pull/20508> - jewel: ceph.restart + ceph_manager.wait_for_clean is racy
<https://github.com/ceph/ceph/pull/20496> - jewel: rgw: update the max-buckets when the quota is uploaded
<https://github.com/ceph/ceph/pull/20479> - jewel: rgw: fix the max-uploads parameter not work
<https://github.com/ceph/ceph/pull/20435> - jewel: cephfs: osdc/Journaler: make sure flush() writes enough data
<https://github.com/ceph/ceph/pull/20421> - jewel: rgw: bucket resharding should not update bucket ACL or user stats
<https://github.com/ceph/ceph/pull/20418> - jewel: rbd-mirror: fix potential infinite loop when formatting status message
<https://github.com/ceph/ceph/pull/20381> - jewel: librados: Double free in rados_getxattrs_next
<https://github.com/ceph/ceph/pull/20335> - jewel: mds: fix scrub crash
<https://github.com/ceph/ceph/pull/20333> - jewel: cephfs-journal-tool: move shutdown to the deconstructor of MDSUtility
<https://github.com/ceph/ceph/pull/20312> - jewel: cephfs: osdc: "FAILED assert(bh->last_write_tid > tid)" in powercycle-wip-yuri-master-1.19.18-distro-basic-smithi
<https://github.com/ceph/ceph/pull/20293> - jewel: rgw: stale bucket index entry remains after object deletion
<https://github.com/ceph/ceph/pull/20292> - jewel: rgw: segmentation fault when starting radosgw after reverting .rgw.root
<https://github.com/ceph/ceph/pull/20291> - jewel: rgw: list bucket which enable versioning get wrong result when user marker
<https://github.com/ceph/ceph/pull/20285> - jewel: rbd: possible deadlock in various maintenance operations
<https://github.com/ceph/ceph/pull/20271> - jewel: cephfs: client::mkdirs not handle well when two clients send mkdir request for a same dir
<https://github.com/ceph/ceph/pull/20269> - jewel: rgw: multisite: data sync status advances despite failure in RGWListBucketIndexesCR
<https://github.com/ceph/ceph/pull/20262> - jewel: rgw: null instance mtime incorrect when enable versioning
<https://github.com/ceph/ceph/pull/20179> - jewel: rgw: add ability to sync user stats from admin api
<https://github.com/ceph/ceph/pull/19993> - jewel: cephfs: fuse client: ::rmdir() uses a deleted memory structure of dentry leads ...
<https://github.com/ceph/ceph/pull/19961> - jewel: mds: fix dump last_sent
<https://github.com/ceph/ceph/pull/19635> - jewel: rgw: S3 POST policy should not require Content-Type
<https://github.com/ceph/ceph/pull/19488> - jewel: rgw: fix GET website response error code
<https://github.com/ceph/ceph/pull/19189> - jewel: rgw: radosgw-admin zonegroup get and zone get return defaults when there i...
<https://github.com/ceph/ceph/pull/19141> - jewel: cephfs: Processes stuck waiting for write with ceph-fuse
<https://github.com/ceph/ceph/pull/19057> - jewel: rgw: add cors header rule check in cors option request
<https://github.com/ceph/ceph/pull/18772> - jewel: rgw: boto3 v4 SignatureDoesNotMatch failure due to sorting of sse-kms headers
<https://github.com/ceph/ceph/pull/18743> - jewel: Objecter::C_ObjectOperation_sparse_read throws/catches exceptions on -ENOENT

Build: green <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/c98fd4df3abaca68ce973c1cf58c908a8f280198/>

teuthology-suite -k distro --priority 99 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 3)/3

- fail http://pulpito.ceph.com:80/smithfarm-2018-02-23_19:41:10-rgw-wip-jewel-backports-distro-basic-smithi/
 - problem in radosgw-admin-data-sync.yaml and radosgw-admin-multi-region.yaml
 - possible culprits:
 - <https://github.com/ceph/ceph/pull/19189> (modifies qa/tasks/radosgw_admin.py)
 - <https://github.com/ceph/ceph/pull/20421> (modifies src/rgw/rgw_admin.cc)

Rerunning to determining reproducibility

- fail http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-02-24_11:39:15-rgw-wip-jewel-backports-distro-basic-smithi/
 - failures are reproducible

#17 - 03/21/2018 03:57 PM - Nathan Cutler

new integration branch without PR#19189 and PR#20421:

<https://github.com/ceph/ceph/pull/20749> - jewel: rgw: libcurl & ssl fixes
<https://github.com/ceph/ceph/pull/20622> - jewel: follow-on: osd: be_select_auth_object() sanity check oi soid
<https://github.com/ceph/ceph/pull/20561> - jewel: rgw: ECANCELED in rgw_get_system_obj() leads to infinite loop
<https://github.com/ceph/ceph/pull/20524> - jewel: test/librbd: utilize unique pool for cache tier testing
<https://github.com/ceph/ceph/pull/20518> - jewel: osd: objecter sends out of sync with pg epochs for proxied ops
<https://github.com/ceph/ceph/pull/20508> - jewel: ceph.restart + ceph_manager.wait_for_clean is racy
<https://github.com/ceph/ceph/pull/20496> - jewel: rgw: update the max-buckets when the quota is uploaded
<https://github.com/ceph/ceph/pull/20479> - jewel: rgw: fix the max-uploads parameter not work
<https://github.com/ceph/ceph/pull/20435> - jewel: cephfs: osdc/Journaler: make sure flush() writes enough data
<https://github.com/ceph/ceph/pull/20418> - jewel: rbd-mirror: fix potential infinite loop when formatting status message
<https://github.com/ceph/ceph/pull/20381> - jewel: librados: Double free in rados_getxattrs_next
<https://github.com/ceph/ceph/pull/20335> - jewel: mds: fix scrub crash
<https://github.com/ceph/ceph/pull/20333> - jewel: cephfs-journal-tool: move shutdown to the deconstructor of MDSUtility
<https://github.com/ceph/ceph/pull/20312> - jewel: cephfs: osdc: "FAILED assert(bh->last_write_tid > tid)" in powercycle-wip-yuri-master-1.19.18-distro-basic-smithi
<https://github.com/ceph/ceph/pull/20293> - jewel: rgw: stale bucket index entry remains after object deletion
<https://github.com/ceph/ceph/pull/20292> - jewel: rgw: segmentation fault when starting radosgw after reverting .rgw.root
<https://github.com/ceph/ceph/pull/20291> - jewel: rgw: list bucket which enable versioning get wrong result when user marker
<https://github.com/ceph/ceph/pull/20285> - jewel: rbd: possible deadlock in various maintenance operations
<https://github.com/ceph/ceph/pull/20271> - jewel: cephfs: client::mkdirs not handle well when two clients send mkdir request for a same dir
<https://github.com/ceph/ceph/pull/20269> - jewel: rgw: multisite: data sync status advances despite failure in RGWListBucketIndexesCR
<https://github.com/ceph/ceph/pull/20262> - jewel: rgw: null instance mtime incorrect when enable versioning
<https://github.com/ceph/ceph/pull/20179> - jewel: rgw: add ability to sync user stats from admin api
<https://github.com/ceph/ceph/pull/19993> - jewel: cephfs: fuse client: ::rmdir() uses a deleted memory structure of dentry leads ...
<https://github.com/ceph/ceph/pull/19961> - jewel: mds: fix dump last_sent
<https://github.com/ceph/ceph/pull/19635> - jewel: rgw: S3 POST policy should not require Content-Type
<https://github.com/ceph/ceph/pull/19488> - jewel: rgw: fix GET website response error code
<https://github.com/ceph/ceph/pull/19141> - jewel: cephfs: Processes stuck waiting for write with ceph-fuse
<https://github.com/ceph/ceph/pull/19057> - jewel: rgw: add cors header rule check in cors option request
<https://github.com/ceph/ceph/pull/18772> - jewel: rgw: boto3 v4 SignatureDoesNotMatch failure due to sorting of sse-kms headers
<https://github.com/ceph/ceph/pull/18743> - jewel: core: Objecter::C_ObjectOperation_sparse_read throws/catches exceptions on -ENOENT

Build: **green** <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/ff281b3758cabe133a0a217330389069936be42e/>

teuthology-suite -k distro --priority 99 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 3)/3

- **pass** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-03-21_13:24:46-rgw-wip-jewel-backports-distro-basic-smithi/

teuthology-suite -k distro --priority 99 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **fail** (1 dead, 135 pass, 136 total) http://pulpito.ceph.com/smithfarm-2018-03-21_15:24:26-rgw-wip-jewel-backports-distro-basic-smithi/

Re-running 1 dead job:

- **pass** http://pulpito.ceph.com:80/smithfarm-2018-03-21_17:56:49-rgw-wip-jewel-backports-distro-basic-smithi/

#18 - 03/28/2018 12:49 PM - Nathan Cutler

cephfs

teuthology-suite -k distro --priority 101 --suite fs --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- pass http://pulpito.ceph.com/smithfarm-2018-03-28_12:17:00-fs-wip-jewel-backports-distro-basic-smithi/

#19 - 03/28/2018 12:52 PM - Nathan Cutler

rbd

Integration branch includes the following rbd and core PRs:

- <https://github.com/ceph/ceph/pull/20524> - jewel: test/librbd: utilize unique pool for cache tier testing
- <https://github.com/ceph/ceph/pull/20518> - jewel: osd: objecter sends out of sync with pg epochs for proxied ops
- <https://github.com/ceph/ceph/pull/20508> - jewel: ceph.restart + ceph_manager.wait_for_clean is racy
- <https://github.com/ceph/ceph/pull/20418> - jewel: rbd-mirror: fix potential infinite loop when formatting status message
- <https://github.com/ceph/ceph/pull/20381> - jewel: librados: Double free in rados_getxattrs_next
- <https://github.com/ceph/ceph/pull/20285> - jewel: rbd: possible deadlock in various maintenance operations
- <https://github.com/ceph/ceph/pull/18743> - jewel: core: Objecter::C_ObjectOperation_sparse_read throws/catches exceptions on -ENOENT

teuthology-suite -k distro --priority 101 --suite rbd --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2)/2

- fail (3 failed, 151 pass, 154 total) http://pulpito.ceph.com/smithfarm-2018-03-28_12:50:32-rbd-wip-jewel-backports-distro-basic-smithi/

Mykola Golub analyzed all three failures here: <https://github.com/ceph/ceph/pull/20285#issuecomment-377152873>

Fail =====

[2330958] rbd/qemu/{cache/writeback.yaml cachepool/none.yaml clusters/{fixed-3.yaml openstack.yaml} features/journaling.yaml msgr-failures/few.yaml objectstore/filestore-xfs.yaml workloads/qemu_xfstests.yaml}

time: 01:36:02

info: http://pulpito.ceph.com/smithfarm-2018-03-28_12:50:32-rbd-wip-jewel-backports-distro-basic-smithi/2330958/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-03-28_12:50:32-rbd-wip-jewel-backports-distro-basic-smithi/2330958/

```
Command failed on smithi198 with status 11: 'sudo adjust-ulimits ceph-coverage /home/ubuntu/ceph/test/archive/coverage ceph --cluster ceph osd deep-scrub 3'
```

[2330979] rbd/maintenance/{base/install.yaml clusters/{fixed-3.yaml openstack.yaml} qemu/xfstests.yaml workloads/rebuild_object_map.yaml xfs.yaml}

time: 00:53:23

info: http://pulpito.ceph.com/smithfarm-2018-03-28_12:50:32-rbd-wip-jewel-backports-distro-basic-smithi/2330979/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-03-28_12:50:32-rbd-wip-jewel-backports-distro-basic-smithi/2330979/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=24c4ba668f814b0e9458c3dda62f54d1>

```
Command failed (workunit test rbd/qemu_rebuild_object_map.sh) on smithi195 with status 30: 'mkdir -p /home/ubuntu/ceph/test/mnt.0/client.0/tmp && cd -- /home/ubuntu/ceph/test/mnt.0/client.0/tmp && CEPH_CLI_TEST_DUP_COMMAND=1 CEPH_REF=wip-jewel-backports TESTDIR="/home/ubuntu/ceph/test" CEPH_ARGS="--cluster ceph" CEPH_ID="0" PATH=$PATH:/usr/sbin CEPH_BASE=/home/ubuntu/ceph/test/clone.client.0 IMAGE_NAME=client.0.1-clone adjust-ulimits ceph-coverage /home/ubuntu/ceph/test/archive/coverage timeout 3h /home/ubuntu/ceph/test/clone.client.0/qa/workunits/rbd/qemu_rebuild_object_map.sh'
```

[2330879] rbd/singleton/{all/admin_socket.yaml openstack.yaml}

time: 00:07:28

info: http://pulpito.ceph.com/smithfarm-2018-03-28_12:50:32-rbd-wip-jewel-backports-distro-basic-smithi/2330879/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-03-28_12:50:32-rbd-wip-jewel-backports-distro-basic-smithi/2330879/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=e53ed784c56a4754bb0a39534537d233>

```
Command failed (workunit test rbd/test_admin_socket.sh) on smithi149 with
```

```
status 1: 'mkdir -p /home/ubuntu/cephptest/mnt.0/client.0/tmp && cd --
/home/ubuntu/cephptest/mnt.0/client.0/tmp && CEPH_CLI_TEST_DUP_COMMAND=1
CEPH_REF=wip-jewel-backports TESTDIR="/home/ubuntu/cephptest" CEPH_ARGS="--
cluster ceph" CEPH_ID="0" PATH=$PATH:/usr/sbin
CEPH_BASE=/home/ubuntu/cephptest/clone.client.0 adjust-ulimits ceph-coverage
/home/ubuntu/cephptest/archive/coverage timeout 3h
/home/ubuntu/cephptest/clone.client.0/qa/workunits/rbd/test_admin_socket.sh'
```

Re-running 3 failed jobs:

- **fail** (1 fail, 2 pass) http://pulpito.ceph.com/smithfarm-2018-03-28_16:37:04-rbd-wip-jewel-backports-distro-basic-smithi/

Fail =====

[2331461] rbd/qemu/{cache/writeback.yaml cachepool/none.yaml clusters/{fixed-3.yaml openstack.yaml} features/journaling.yaml msgr-failures/few.yaml objectstore/filestore-xfs.yaml workloads/qemu_xfstests.yaml}

time: 01:36:16

info: http://pulpito.ceph.com/smithfarm-2018-03-28_16:37:04-rbd-wip-jewel-backports-distro-basic-smithi/2331461/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-03-28_16:37:04-rbd-wip-jewel-backports-distro-basic-smithi/2331461/

Command failed on smithi006 with status 11: 'sudo adjust-ulimits ceph-coverage /home/ubuntu/cephptest/archive/coverage ceph --cluster ceph osd deep-scrub 3'

Re-running one failed job:

- **pass** http://pulpito.ceph.com/smithfarm-2018-03-28_20:29:34-rbd-wip-jewel-backports-distro-basic-smithi/

Conclusion: ruled a PASS

#20 - 03/28/2018 12:55 PM - Nathan Cutler

rados

Integration branch includes the following core PRs:

<https://github.com/ceph/ceph/pull/20518> - jewel: osd: objecter sends out of sync with pg epochs for proxied ops

<https://github.com/ceph/ceph/pull/20508> - jewel: ceph.restart + ceph_manager.wait_for_clean is racy

<https://github.com/ceph/ceph/pull/20381> - jewel: librados: Double free in rados_getxattrs_next

<https://github.com/ceph/ceph/pull/18743> - jewel: core: Objecter::C_ObjectOperation_sparse_read throws/catches exceptions on -ENOENT

teuthology-suite -k distro --priority 101 --suite rados --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2000)/2000

Subset=1073/2000

- **fail** (11 fail, 103 pass, 114 total) http://pulpito.ceph.com/smithfarm-2018-03-28_12:53:23-rados-wip-jewel-backports-distro-basic-smithi/

Re-running 11 failed jobs:

- **fail** (7 fail, 4 pass) http://pulpito.ceph.com/smithfarm-2018-03-28_20:31:45-rados-wip-jewel-backports-distro-basic-smithi/
 - [2331787] [2331786] [2331785] [2331783] [2331790] **known bug** <http://tracker.ceph.com/issues/23529>
 - [2331784] [2331780] **known bug** <http://tracker.ceph.com/issues/22064>

Ruled a PASS, but found a new bug [#23529](#) which partially blocks further integration testing.

Testing [#23529](#) reproducer on the integration branch

teuthology-suite -k distro --priority 101 --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --suite rados --filter="rados/basic/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml tasks/rados_api_tests.yaml}"

- **fail** http://pulpito.ceph.com/smithfarm-2018-03-29_11:03:14-rados-wip-jewel-backports-distro-basic-smithi/ (REPRODUCED)
-

Testing reproducer on jewel baseline:

teuthology-suite -k distro --priority 101 --email ncutler@suse.com --ceph-repo https://github.com/ceph/ceph.git --ceph jewel --suite-repo https://github.com/ceph/ceph.git --suite-branch jewel --machine-type smithi --suite rados --filter="rados/basic/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml tasks/rados_api_tests.yaml}" --newest 5

--newest supplied, backtracked 1 commits to d2e85794d94abcc6427e8c7f272c3d1f92149c65

- **fail** http://pulpito.ceph.com/smithfarm-2018-03-29_11:05:43-rados-jewel-distro-basic-smithi/ (REPRODUCED)
-

Testing reproducer on jewel minus 10 last PRs merged - 556a0b20ca Merge pull request #20271

Build **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-minus-10/>

teuthology-suite -k distro --priority 101 --email ncutler@suse.com --ceph wip-jewel-minus-10 --machine-type smithi --suite rados --filter="rados/basic/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml tasks/rados_api_tests.yaml}"

- **pass** http://pulpito.ceph.com/smithfarm-2018-03-30_07:44:03-rados-wip-jewel-minus-10-distro-basic-smithi/
-

Testing reproducer on jewel minus 5 last PRs merged - 1c7b6b0004 Merge pull request #20333

Build **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-minus-5/>

teuthology-suite -k distro --priority 101 --email ncutler@suse.com --ceph wip-jewel-minus-5 --machine-type smithi --suite rados --filter="rados/basic/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml tasks/rados_api_tests.yaml}"

- **fail** http://pulpito.ceph.com/smithfarm-2018-03-30_10:20:55-rados-wip-jewel-minus-5-distro-basic-smithi/ (REPRODUCED)
-

Testing reproducer on jewel minus 7 last PRs merged - 1c7b6b0004 Merge pull request #19993

Build **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-minus-7/>

teuthology-suite -k distro --priority 101 --email ncutler@suse.com --ceph wip-jewel-minus-7 --machine-type smithi --suite rados --filter="rados/basic/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml tasks/rados_api_tests.yaml}"

- **pass** http://pulpito.ceph.com/smithfarm-2018-03-30_15:23:23-rados-wip-jewel-minus-7-distro-basic-smithi/

rados

These PRs were included:

- <https://github.com/ceph/ceph/pull/21234> - jewel: rocksdb: disable jemalloc explicitly
- <https://github.com/ceph/ceph/pull/21208> - jewel: cephfs: fix tmap_upgrade crash
- <https://github.com/ceph/ceph/pull/21184> - jewel: osd: OSDMap cache assert on shutdown
- <https://github.com/ceph/ceph/pull/21175> - jewel: mds: session reference leak
- <https://github.com/ceph/ceph/pull/21172> - jewel: qa: src/test/libcephfs/test.cc:376: Expected: (len) > (0), actual: -34 vs 0
- <https://github.com/ceph/ceph/pull/21163> - jewel: client reconnect gather race
- <https://github.com/ceph/ceph/pull/21158> - jewel: cli/crushtools/build.t sometimes fails in jenkins' make check run
- <https://github.com/ceph/ceph/pull/21156> - jewel: mds: FAILED assert(get_version() < pv) in CDir::mark_dirty
- <https://github.com/ceph/ceph/pull/21153> - jewel: client: dual client segfault with racing ceph_shutdown
- <https://github.com/ceph/ceph/pull/21152> - jewel: qa: failures from pid fstest
- <https://github.com/ceph/ceph/pull/21135> - jewel: tests: unittest_pglog timeout
- <https://github.com/ceph/ceph/pull/21125> - jewel: test_admin_socket.sh may fail on wait_for_clean
- <https://github.com/ceph/ceph/pull/21100> - jewel: rgw: s3website error handler uses original object name
- <https://github.com/ceph/ceph/pull/21098> - jewel: rgw: inefficient buffer usage for PUTs
- <https://github.com/ceph/ceph/pull/21084> - jewel: log: Fix AddressSanitizer: new-delete-type-mismatch
- <https://github.com/ceph/ceph/pull/21073> - jewel: rgw: tcmalloc
- <https://github.com/ceph/ceph/pull/20999> - jewel: legal: remove doc license ambiguity
- <https://github.com/ceph/ceph/pull/20882> - jewel: ceph-objectstore-tool command to trim the pg log
- <https://github.com/ceph/ceph/pull/20800> - jewel: rgw: make init env methods return an error
- <https://github.com/ceph/ceph/pull/20763> - jewel: ceph.in: bypass codec when writing raw binary data
- <https://github.com/ceph/ceph/pull/20639> - jewel: rgw: core dump, recursive lock of RGWKeystoneTokenCache
- <https://github.com/ceph/ceph/pull/20627> - jewel: TestLibRBD.RenameViaLockOwner may still fail with -ENOENT
- <https://github.com/ceph/ceph/pull/20622> - jewel: follow-on: osd: be_select_auth_object() sanity check oi soid
- <https://github.com/ceph/ceph/pull/20421> - jewel: rgw: bucket resharding should not update bucket ACL or user stats
- <https://github.com/ceph/ceph/pull/20111> - jewel : cephfs-journal-tool: add "set pool_id" option
- <https://github.com/ceph/ceph/pull/20076> - jewel: file deadlock on lru evicting
- <https://github.com/ceph/ceph/pull/19887> - jewel: rgw: add xml output header in RGWCOPY_Obj_ObjStore_S3 response msg
- <https://github.com/ceph/ceph/pull/18304> - jewel: rgw: file write error
- <https://github.com/ceph/ceph/pull/18207> - jewel: rgw: bi list entry count incremented on error, distorting error code
- <https://github.com/ceph/ceph/pull/17818> - jewel: tests: make upgrade tests use supported distros

Build pass <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/c1b09de47f94934698b0c725aa871969ed0c0407/>

teuthology-suite -k distro --priority 101 --suite rados --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2000)/2000

- fail (110 pass, 4 fail, 114 total) http://pulpito.ceph.com/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/

Fail =====

[2352515] rados/thrash/{0-size-min-size-overrides/2-size-2-min-size.yaml 1-pg-log-overrides/normal_pg_log.yaml clusters/{fixed-2.yaml openstack.yaml} hobj-sort.yaml msgr-failures/fastclose.yaml msgr/simple.yaml objectstore/filestore-xfs.yaml rados.yaml thrashers/default.yaml workloads/cache-pool-snaps.yaml}

time: 00:13:16

info: http://pulpito.ceph.com/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352515/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352515/

```
Command crashed: 'CEPH_CLIENT_ID=0 adjust-ulimits ceph-coverage
/home/ubuntu/ceph_test/archive/coverage ceph_test_rados --pool-snaps --max-ops 4000 --objects 500 --max-in-flight 16 --size 4000000 --min-stride-size 400000 --max-stride-size 800000 --max-seconds 0 --op snap_remove 50 --op snap_create 50 --op rollback 50 --op read 100 --op copy_from 50 --op write 50 --op write_excl 50 --op delete 50 --pool base'
```

[2352483] rados/objectstore/objectstore.yaml

time: 00:05:53

info: http://pulpito.ceph.com/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352483/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352483/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=86ff1cdabc05412a878190214f412356>

```
Command failed on smithi101 with status 139: "sudo
TESTDIR=/home/ubuntu/ceph_test bash e mkdir $TESTDIR/ostest && cd
$TESTDIR/ostest && ceph_test_objectstore gtest_filter-*/*/*"
```

[2352499] rados/basic/{clusters/{fixed-2.yaml openstack.yaml} msgr-failures/many.yaml msgr/random.yaml objectstore/filestore-xfs.yaml rados.yaml}

tasks/rados_python.yaml}

time: 00:11:07

info: http://pulpito.ceph.com/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352499/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352499/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=999c597c68b0499f9d3f4de6802ce929>

```
Command failed (workunit test rados/test_python.sh) on smithi202 with
status 134: 'mkdir -p /home/ubuntu/ceph/test/mnt.0/client.0/tmp && cd --
/home/ubuntu/ceph/test/mnt.0/client.0/tmp && CEPH_CLI_TEST_DUP_COMMAND=1
CEPH_REF=wip-jewel-backports TESTDIR="/home/ubuntu/ceph/test" CEPH_ARGS="--
cluster ceph" CEPH_ID="0" PATH=$PATH:/usr/sbin
CEPH_BASE=/home/ubuntu/ceph/test/clone.client.0 adjust-ulimits ceph-coverage
/home/ubuntu/ceph/test/archive/coverage timeout 3h
/home/ubuntu/ceph/test/clone.client.0/qa/workunits/rados/test_python.sh'
```

[2352539] rados/singleton-nomsgr/{all/full-tiering.yaml rados.yaml}

time: 00:00:00

info: http://pulpito.ceph.com/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352539/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi/2352539/

sentry: <http://sentry.ceph.com/sepia/teuthology/?q=f1a07817298540119c85c33e3a5a50f3>

```
Command failed on smithi064 with status 100: 'sudo apt-get update'
```

Re-running 4 failed jobs:

```
teuthology-suite -k distro --priority 101 --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --rerun
smithfarm-2018-04-04_11:30:23-rados-wip-jewel-backports-distro-basic-smithi
```

- pass http://pulpito.ceph.com/smithfarm-2018-04-04_17:24:55-rados-wip-jewel-backports-distro-basic-smithi/

#22 - 04/03/2018 10:38 AM - Nathan Cutler

rgw

Integration branch includes these PRs:

<https://github.com/ceph/ceph/pull/21208> - jewel: cephfs: fix tmap_upgrade crash
<https://github.com/ceph/ceph/pull/21184> - jewel: osd: OSDMap cache assert on shutdown
<https://github.com/ceph/ceph/pull/21175> - jewel: mds: session reference leak
<https://github.com/ceph/ceph/pull/21172> - jewel: qa: src/test/libcephfs/test.cc:376: Expected: (len) > (0), actual: -34 vs 0
<https://github.com/ceph/ceph/pull/21163> - jewel: client reconnect gather race
<https://github.com/ceph/ceph/pull/21156> - jewel: mds: FAILED assert(get_version() < pv) in CDir::mark_dirty
<https://github.com/ceph/ceph/pull/21152> - jewel: qa: failures from pjd fstest
<https://github.com/ceph/ceph/pull/21125> - jewel: test_admin_socket.sh may fail on wait_for_clean
<https://github.com/ceph/ceph/pull/21100> - jewel: rgw: s3website error handler uses original object name
<https://github.com/ceph/ceph/pull/21098> - jewel: rgw: inefficient buffer usage for PUTs
<https://github.com/ceph/ceph/pull/21073> - jewel: rgw: tcmmalloc
<https://github.com/ceph/ceph/pull/20800> - jewel: rgw: make init env methods return an error
<https://github.com/ceph/ceph/pull/20639> - jewel: rgw: core dump, recursive lock of RGWKeystoneTokenCache
<https://github.com/ceph/ceph/pull/20627> - jewel: TestLibRBD.RenameViaLockOwner may still fail with -ENOENT
<https://github.com/ceph/ceph/pull/20421> - jewel: rgw: bucket resharding should not update bucket ACL or user stats
<https://github.com/ceph/ceph/pull/20111> - jewel: cephfs-journal-tool: add "set pool_id" option
<https://github.com/ceph/ceph/pull/20076> - jewel: rgw: file deadlock on lru evicting
<https://github.com/ceph/ceph/pull/19887> - jewel: rgw: add xml output header in RGWCopyObj_ObjStore_S3 response msg
<https://github.com/ceph/ceph/pull/18304> - jewel: rgw: file write error
<https://github.com/ceph/ceph/pull/18207> - jewel: rgw: bi list entry count incremented on error, distorting error code
<https://github.com/ceph/ceph/pull/17818> - jewel: tests: make upgrade tests use supported distros

Build **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/759bc63864e50c7e15b397f082d1a5839fb8a3be/>

teuthology-suite -k distro --priority 102 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **fail** 136 jobs http://pulpito.ceph.com/smithfarm-2018-04-05_13:30:37-rgw-wip-jewel-backports-distro-basic-smithi/
 - **new bug** <http://tracker.ceph.com/issues/23563> (testChunkedPut fails in swift task)
 - suspected culprit: <https://github.com/ceph/ceph/pull/21098>

Running reproducer on baseline jewel

teuthology-suite -k distro --priority 101 --email ncutler@suse.com --ceph-repo <https://github.com/ceph/ceph.git> --ceph jewel --suite-repo <https://github.com/ceph/ceph.git> --suite-branch jewel --machine-type smithi --suite rgw --filter="rgw/multifs/{clusters/fixd-2.yaml frontend/apache.yaml fs/btrfs.yaml objectstore/filestore-xfss.yaml overrides.yaml rgw_pool_type/replicated.yaml tasks/rgw_swift.yaml}"

- **pass** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-04-06_00:40:22-rgw-jewel-distro-basic-smithi/

Running reproducer on just PR#21098

Build **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-pr21098/>

teuthology-suite -k distro --priority 99 --email ncutler@suse.com --ceph wip-jewel-pr21098 --machine-type smithi --suite rgw --filter="rgw/multifs/{clusters/fixd-2.yaml frontend/apache.yaml fs/btrfs.yaml objectstore/filestore-xfss.yaml overrides.yaml rgw_pool_type/replicated.yaml tasks/rgw_swift.yaml}"

- **fail** http://pulpito.front.sepia.ceph.com:80/smithfarm-2018-04-06_00:41:19-rgw-wip-jewel-pr21098-distro-basic-smithi/

#23 - 04/03/2018 10:40 AM - Nathan Cutler

cephfs

Integration branch same as [#21742-22](#)

teuthology-suite -k distro --priority 101 --suite fs --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **pass** 88 jobs http://pulpito.ceph.com/smithfarm-2018-04-05_13:33:13-fs-wip-jewel-backports-distro-basic-smithi/

#24 - 04/06/2018 01:10 AM - Nathan Cutler

rgw

These PRs:

<https://github.com/ceph/ceph/pull/21184> - jewel: osd: OSDMap cache assert on shutdown
<https://github.com/ceph/ceph/pull/21156> - jewel: mds: FAILED assert(get_version() < pv) in CDir::mark_dirty
<https://github.com/ceph/ceph/pull/21125> - jewel: test_admin_socket.sh may fail on wait_for_clean
<https://github.com/ceph/ceph/pull/21100> - jewel: rgw: s3website error handler uses original object name
<https://github.com/ceph/ceph/pull/21073> - jewel: rgw: tcmalloc
<https://github.com/ceph/ceph/pull/20800> - jewel: rgw: make init env methods return an error
<https://github.com/ceph/ceph/pull/20639> - jewel: rgw: core dump, recursive lock of RGWKeystoneTokenCache
<https://github.com/ceph/ceph/pull/20421> - jewel: rgw: bucket resharding should not update bucket ACL or user stats
<https://github.com/ceph/ceph/pull/20076> - jewel: rgw: file deadlock on lru evicting
<https://github.com/ceph/ceph/pull/19887> - jewel: rgw: add xml output header in RGWCOPY_Obj_ObjStore_S3 response msg
<https://github.com/ceph/ceph/pull/18304> - jewel: rgw: file write error
<https://github.com/ceph/ceph/pull/18207> - jewel: rgw: bi list entry count incremented on error, distorting error code
<https://github.com/ceph/ceph/pull/17818> - jewel: tests: make upgrade tests use supported distros

Build **pass** <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/b6f9fd62843c1702fed57ce656af0b1a977fbf63/>

teuthology-suite -k distro --priority 102 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **pass** (136 jobs) http://pulpito.ceph.com/smithfarm-2018-04-06_05:09:33-rgw-wip-jewel-backports-distro-basic-smithi/

#25 - 04/06/2018 09:04 PM - Nathan Cutler

rados

--- done. these PRs were included:

<https://github.com/ceph/ceph/pull/21232> - jewel: rbd-nbd: fix ebusy when do map
<https://github.com/ceph/ceph/pull/21228> - jewel: librbd: cannot clone all image-metas if we have more than 64 key/value pairs
<https://github.com/ceph/ceph/pull/21227> - jewel: rbd: clean up warnings when mirror commands used on non-setup pool
<https://github.com/ceph/ceph/pull/21225> - jewel: rbd-mirror: ignore permission errors on rbd_mirroring object

<https://github.com/ceph/ceph/pull/21224> - jewel: librbd: list_children should not attempt to refresh image
<https://github.com/ceph/ceph/pull/21223> - jewel: rbd-mirror: strip environment/CLI overrides for remote cluster
<https://github.com/ceph/ceph/pull/21220> - jewel: librbd: object map batch update might cause OSD suicide timeout
<https://github.com/ceph/ceph/pull/21219> - jewel: librbd: create+truncate for whole-object layered discards
<https://github.com/ceph/ceph/pull/21215> - jewel: journal: Message too long error when appending journal
<https://github.com/ceph/ceph/pull/21213> - jewel: rgw: data sync of versioned objects, note updating bi marker
<https://github.com/ceph/ceph/pull/21210> - jewel: rgw: add radosgw-admin sync error trim to trim sync error log
<https://github.com/ceph/ceph/pull/21207> - jewel: rbd: is_qemu_running in qemu_rebuild_object_map.sh and qemu_dynamic_features.sh may return false positive
<https://github.com/ceph/ceph/pull/21206> - jewel: rbd: [journal] allocating a new tag after acquiring the lock should use on-disk committed position
<https://github.com/ceph/ceph/pull/21205> - jewel: rbd: rbd-mirror split brain test case can have a false-positive failure until teuthology
<https://github.com/ceph/ceph/pull/21203> - jewel: librbd: cannot copy all image-metas if we have more than 64 key/value pairs
<https://github.com/ceph/ceph/pull/21200> - jewel: osd/PrimaryLogPG: dump snap_trimq size
<https://github.com/ceph/ceph/pull/21199> - jewel: osd: replica read can trigger cache promotion
<https://github.com/ceph/ceph/pull/21197> - jewel: ceph_authtool: add mode option
<https://github.com/ceph/ceph/pull/21190> - jewel: rpm: bump epoch ahead of ceph-common in RHEL base
<https://github.com/ceph/ceph/pull/21189> - jewel: cephfs: client: prevent fallback to remount when dentry_invalidate_cb is true but root->dir is NULL
<https://github.com/ceph/ceph/pull/21185> - jewel: mds: underwater dentry check in CDir::_omap_fetched is racy
<https://github.com/ceph/ceph/pull/21125> - jewel: test_admin_socket.sh may fail on wait_for_clean
<https://github.com/ceph/ceph/pull/21098> - jewel: rgw: inefficient buffer usage for PUTs
<https://github.com/ceph/ceph/pull/20627> - jewel: TestLibRBD.RenameViaLockOwner may still fail with -ENOENT
<https://github.com/ceph/ceph/pull/20381> - jewel: librados: Double free in rados_getxattrs_next
<https://github.com/ceph/ceph/pull/18010> - jewel: core: enable rocksdb for filestore
<https://github.com/ceph/ceph/pull/17818> - jewel: tests: make upgrade tests use supported distros

Build pass <https://shaman.ceph.com/builds/ceph/wip-jewel-backports/64695235ff1ba4b33491329af2dc51863c1b3707/>

teuthology-suite -k distro --priority 101 --suite rados --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset \$(expr \$RANDOM % 2000)/2000

- fail 114 jobs http://pulpito.ceph.com/smithfarm-2018-04-08_07:30:43-rados-wip-jewel-backports-distro-basic-smithi/
 - 2371118 **new bug** <http://tracker.ceph.com/issues/23588>
 - 2371116, 2371152, 2371154 **known bug** <http://tracker.ceph.com/issues/22064>
 - 2371213 **known bug** <http://tracker.ceph.com/issues/23598>
 - 2371194 **known bug** <http://tracker.ceph.com/issues/23589>

Re-running 6 failed jobs:

- fail (4 pass, 2 fail) http://pulpito.ceph.com/smithfarm-2018-04-08_15:19:43-rados-wip-jewel-backports-distro-basic-smithi/

[2371464] rados/thrash-erasure-code-isa/{arch/x86_64.yaml clusters/{fixed-2.yaml openstack.yaml} msgr-failures/few.yaml objectstore/filestore-xfss.yaml rados.yaml supported/centos_latest.yaml thrashers/mapgap.yaml workloads/ec-rados-plugin=isa-k=2-m=1.yaml}

time: 00:14:33

info: http://pulpito.ceph.com/smithfarm-2018-04-08_15:19:43-rados-wip-jewel-backports-distro-basic-smithi/2371464/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-04-08_15:19:43-rados-wip-jewel-backports-distro-basic-smithi/2371464/

```
Command crashed: 'CEPH_CLIENT_ID=0 adjust-ulimits ceph-coverage
/home/ubuntu/ceph/test/archive/coverage ceph_test_rados --ec-pool --max-ops
4000 --objects 50 --max-in-flight 16 --size 4000000 --min-stride-size
400000 --max-stride-size 800000 --max-seconds 0 --op snap_remove 50 --op
snap_create 50 --op rollback 50 --op setattr 25 --op read 100 --op
copy_from 50 --op write 0 --op rmatr 25 --op append 100 --op delete 50
--pool unique_pool_0'
```

[2371460] rados/upgrade/{hammer-x-singleton/{0-cluster/{openstack.yaml start.yaml} 1-hammer-install/hammer.yaml 2-partial-upgrade/firsthalf.yaml 3-thrash/default.yaml 4-mon/mona.yaml 5-workload/{rbd-cls.yaml rbd-import-export.yaml readwrite.yaml snaps-few-objects.yaml} 6-next-mon/monb.yaml 7-workload/{radosbench.yaml rbd_api.yaml} 8-next-mon/monc.yaml 9-workload/{ec-rados-plugin=jerasure-k=3-m=1.yaml rbd-python.yaml rgw-swift.yaml snaps-many-objects.yaml test_cache-pool-snaps.yaml}} rados.yaml}

time: 01:13:34

info: http://pulpito.ceph.com/smithfarm-2018-04-08_15:19:43-rados-wip-jewel-backports-distro-basic-smithi/2371460/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-04-08_15:19:43-rados-wip-jewel-backports-distro-basic-smithi/2371460/

```
Command crashed: 'CEPH_CLIENT_ID=0 adjust-ulimits ceph-coverage
/home/ubuntu/ceph/test/archive/coverage ceph_test_rados --max-ops 4000
--objects 50 --max-in-flight 16 --size 4000000 --min-stride-size 400000
--max-stride-size 800000 --max-seconds 0 --op snap_remove 50 --op
snap_create 50 --op rollback 50 --op read 100 --op write 100 --op delete 50
--pool unique_pool_1'
```

Re-running 2 failed jobs

- **fail** (1 pass, 1 fail) http://pulpito.ceph.com/smithfarm-2018-04-08_16:53:21-rados-wip-jewel-backports-distro-basic-smithi/

```
[2371518] rados/upgrade/{hammer-x-singleton/{0-cluster/{openstack.yaml start.yaml} 1-hammer-install/hammer.yaml 2-partial-upgrade/firsthalf.yaml 3-thrash/default.yaml 4-mon/mona.yaml 5-workload/{rbd-cls.yaml rbd-import-export.yaml readwrite.yaml snaps-few-objects.yaml} 6-next-mon/monb.yaml 7-workload/{radosbench.yaml rbd_api.yaml} 8-next-mon/monc.yaml 9-workload/{ec-rados-plugin=jerasure-k=3-m=1.yaml rbd-python.yaml rgw-swift.yaml snaps-many-objects.yaml test_cache-pool-snaps.yaml}} rados.yaml}
```

time: 01:06:17

info: http://pulpito.ceph.com/smithfarm-2018-04-08_16:53:21-rados-wip-jewel-backports-distro-basic-smithi/2371518/

log: http://qa-proxy.ceph.com/teuthology/smithfarm-2018-04-08_16:53:21-rados-wip-jewel-backports-distro-basic-smithi/2371518/

```
Command crashed: 'CEPH_CLIENT_ID=0 adjust-ulimits ceph-coverage /home/ubuntu/ceph_test/archive/coverage ceph_test_rados --max-ops 4000 --objects 500 --max-in-flight 16 --size 4000000 --min-stride-size 400000 --max-stride-size 800000 --max-seconds 0 --op snap_remove 50 --op snap_create 50 --op rollback 50 --op read 100 --op write 100 --op delete 50 --pool unique_pool_8'
```

Re-running 1 failed job

- **fail** http://pulpito.ceph.com/smithfarm-2018-04-08_20:06:36-rados-wip-jewel-backports-distro-basic-smithi/
 - **known bug, newly increased reproducibility** <http://tracker.ceph.com/issues/23598> (see that bug for further investigation)

#26 - 04/08/2018 09:04 AM - Nathan Cutler

rbd

Integration branch: same as [#21742-25](#)

```
teuthology-suite -k distro --priority 101 --suite rbd --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi --subset $(expr $RANDOM % 2)/2
```

- **pass** 154 jobs http://pulpito.ceph.com/smithfarm-2018-04-08_09:02:24-rbd-wip-jewel-backports-distro-basic-smithi/

#27 - 04/08/2018 09:13 AM - Nathan Cutler

fs

Integration branch: same as in [#21742-25](#)

teuthology-suite -k distro --priority 102 --suite fs --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **pass** 88 jobs http://pulpito.ceph.com/smithfarm-2018-04-08_09:05:48-fs-wip-jewel-backports-distro-basic-smithi/

#28 - 04/08/2018 03:23 PM - Nathan Cutler

powercycle

teuthology-suite -v -c wip-jewel-backports -k distro -m smithi -s powercycle -p 99 -l 2 --email ncutler@suse.com

- **pass** http://pulpito.ceph.com/smithfarm-2018-04-08_15:23:06-powercycle-wip-jewel-backports-distro-basic-smithi/

#29 - 04/08/2018 03:25 PM - Nathan Cutler

Upgrade hammer-x

teuthology-suite -k distro --verbose --suite upgrade/hammer-x --ceph wip-jewel-backports --machine-type smithi --priority 99 --email ncutler@suse.com

- **fail** (9 pass, 9 fail, 18 total) http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/

#30 - 04/08/2018 04:57 PM - Nathan Cutler

rgw

Integration branch: same as [#21742-25](#)

teuthology-suite -k distro --priority 102 --suite rgw --email ncutler@suse.com --ceph wip-jewel-backports --machine-type smithi

- **pass** 136 jobs http://pulpito.ceph.com/smithfarm-2018-04-08_16:55:12-rgw-wip-jewel-backports-distro-basic-smithi/

#31 - 05/17/2018 09:15 AM - Kefu Chai

in http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/

- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371499/: remote: log gone
- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371501/: #23290
- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371503/: #23290
- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371505/: remote/ log gone
- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371508/: #23290
- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371511/: #23290
- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371512/: #23290
- http://pulpito.ceph.com/smithfarm-2018-04-08_15:24:44-upgrade:hammer-x-wip-jewel-backports-distro-basic-smithi/2371515/: #23290

#32 - 05/17/2018 08:55 PM - Josh Durgin

The logs for those #23290 failures are gone now, but since it's a pre-existing issue in jewel, I don't think it should block the 10.2.11 release.

#33 - 05/22/2018 03:22 PM - Yuri Weinstein

QE VALIDATION (STARTED 6/27/18)

CEPH_QA_MAIL="ceph-qa@ceph.com"; MACHINE_NAME=smithi; CEPH_BRANCH=wip-jewel-20180627

teuthology-suite -v --ceph-repo <https://github.com/ceph/ceph-ci.git> --suite-repo <https://github.com/ceph/ceph-ci.git> -c \$CEPH_BRANCH -m \$MACHINE_NAME -s rados --subset 35/50 -k distro -p 60 -e \$CEPH_QA_MAIL --suite-branch \$CEPH_BRANCH --dry-run

http://pulpito.ceph.com/yuriw-2018-06-27_16:36:18-rados-wip-jewel-20180627-distro-basic-smithi/

Josh, Sage, Neha pls review ^

http://pulpito.ceph.com/yuriw-2018-06-27_16:43:03-rgw-wip-jewel-20180627-distro-basic-smithi/ - approved by Casey

http://pulpito.ceph.com/yuriw-2018-06-27_16:47:10-rbd-wip-jewel-20180627-distro-basic-smithi - approved by Jason see <http://tracker.ceph.com/issues/24017>

http://pulpito.ceph.com/yuriw-2018-06-27_16:52:11-fs-wip-jewel-20180627-distro-basic-smithi

http://pulpito.ceph.com/yuriw-2018-06-27_19:54:08-krbd-wip-jewel-20180627-testing-basic-smithi

Ilya: Can't approve. Lots of failed jobs with [ERR] : OSD full dropping all updates 97% full mon.b@1(peon).data_health(4) reached critical levels of available space on local monitor storage -- shutdown! and some Filestore crashes too. Needs to be rerun to separate environmental failures from real failures.

One more rerun

http://pulpito.ceph.com/yuriw-2018-07-05_16:48:41-krbd-wip-jewel-20180627-testing-basic-smithi/

http://pulpito.ceph.com/yuriw-2018-06-27_19:54:54-kcephfs-wip-jewel-20180627-testing-basic-smithi

Patrick pls review ^ (<http://tracker.ceph.com/issues/24017> ? maybe)

http://pulpito.ceph.com/yuriw-2018-06-27_19:55:30-knfs-wip-jewel-20180627-testing-basic-smithi PASSED

http://pulpito.ceph.com/yuriw-2018-06-27_19:55:47-rest-wip-jewel-20180627-distro-basic-smithi/ PASSED

http://pulpito.ceph.com/yuriw-2018-06-27_19:55:51-ceph-deploy-wip-jewel-20180627-distro-basic-ovh/ ALL FAILED

Will fix, using wrong branch for testing, latest ceph deploy branch works only with luminous+ builds.

Testing: <https://github.com/ceph/ceph/pull/22881>

Sage, Vasu pls review ^

http://pulpito.ceph.com/yuriw-2018-06-27_20:04:37-ceph-disk-wip-jewel-20180627-distro-basic-ovh/ PASSED

http://pulpito.ceph.com/yuriw-2018-06-27_20:00:53-upgrade:client-upgrade-wip-jewel-20180627-distro-basic-smithi/

http://pulpito.ceph.com/yuriw-2018-06-28_20:27:42-upgrade:client-upgrade-wip-jewel-20180627-distro-basic-smithi/

Failed on centos 7.2 which we don't have, so PASSED

http://pulpito.ceph.com/yuriw-2018-06-27_20:01:13-upgrade:hammer-x-wip-jewel-20180627-distro-basic-smithi/

http://pulpito.ceph.com/yuriw-2018-06-28_20:29:18-upgrade:hammer-x-wip-jewel-20180627-distro-basic-smithi/

Sage pls review ^, maybe we can deprecate as hammer is EOL

http://pulpito.ceph.com/yuriw-2018-06-27_20:01:37-upgrade;jewel-x:point-to-point-x-wip-jewel-20180627-distro-basic-smithi/ FAILED, same as in previous point

Sage approved ? ^

http://pulpito.ceph.com/yuriw-2018-06-27_20:01:43-ceph-ansible-wip-jewel-20180627-distro-basic-ovh/

Check with josh, workunit failed for cls_rgw, outside ceph-ansible.

Sebastian, Vasu pls review ^ see <http://tracker.ceph.com/issues/24640>

Link is different tracker ?

http://pulpito.ceph.com/yuriw-2018-06-27_20:03:10-powercycle-wip-jewel-20180627-distro-basic-smithi/

http://pulpito.ceph.com/yuriw-2018-06-28_20:32:43-powercycle-wip-jewel-20180627-distro-basic-smithi/

Sage pls review ^ =====

=====

QE VALIDATION (STARTED 5/22/18 and is ON-HOLD NOW as we testing more PRs)

(Note: **PASSED** / **FAILED** - indicates "TEST IS IN PROGRESS")

re-runs command lines and filters are captured in http://pad.ceph.com/p/hammer_v10.2.11_QE_validation_notes

command line CEPH_QA_MAIL="ceph-qa@ceph.com"; MACHINE_NAME=smithi; CEPH_BRANCH=jewel;
 SHA1=98aa3b683021b0d7329319bbc74736d777603968 ; teuthology-suite -v --ceph-repo https://github.com/ceph/ceph.git --suite-repo
 https://github.com/ceph/ceph.git -c \$CEPH_BRANCH -S \$SHA1 -m \$MACHINE_NAME -s rados --subset 35/50 -k distro -p 100 -e
 \$CEPH_QA_MAIL --suite-branch jewel --dry-run

teuthology-suite -v -c \$CEPH_BRANCH -S \$SHA1 -m \$MACHINE_NAME -r \$RERUN --suite-repo <https://github.com/ceph/ceph.git> --ceph-repo
<https://github.com/ceph/ceph.git> --suite-branch jewel -p 90 -R fail,dead,running -N 3

| Suite | Runs/Reruns | Notes/Issues |
|---------|--|-----------------------------------|
| rados | http://pulpito.ceph.com/yuriw-2018-05-22_16:34:34-rados-jewel-distro-basic-smithi/ | PASSED / FAILED |
| rgw | http://pulpito.ceph.com/yuriw-2018-05-22_16:47:07-rgw-jewel-distro-basic-smithi/ http://pulpito.front.sepia.ceph.com/yuriw-2018-05-22_23:06:31-rgw-jewel-distro-basic-smithi | PASSED / FAILED |
| rbd | http://pulpito.ceph.com/yuriw-2018-05-22_16:49:35-rbd-jewel-distro-basic-smithi/ | PASSED / FAILED |
| fs | http://pulpito.ceph.com/yuriw-2018-05-22_16:53:42-fs-jewel-distro-basic-smithi/ | PASSED / FAILED |
| krbd | http://pulpito.ceph.com/yuriw-2018-05-22_16:56:08-krbd-jewel-testing-basic-smithi | PASSED / FAILED |
| kcephfs | http://pulpito.ceph.com/yuriw-2018-05-22_16:57:08-kcephfs-jewel-testing-basic-smithi/ | PASSED / FAILED |
| knfs | http://pulpito.ceph.com/yuriw-2018-05-22_16:57:56-knfs-jewel-testing-basic-smithi | PASSED / FAILED |
| rest | http://pulpito.ceph.com/yuriw-2018-05-22_16:58:38-rest-jewel-distro-basic-smithi | PASSED / FAILED |
| hadoop | | EXCLUDED FROM THIS RELEASE |
| samba | | EXCLUDED FROM THIS RELEASE |

| | | |
|----------------------------------|---|-----------------|
| | | |
| ceph-deploy | http://pulpito.ceph.com/yuriw-2018-05-22_16:59:39-ceph-deploy-jewel-distro-basic-ovh | PASSED / FAILED |
| | http://pulpito.front.sepia.ceph.com:80/yuriw-2018-05-22_23:10:19-ceph-deploy-jewel-distro-basic-mira/ | |
| ceph-disk | http://pulpito.ceph.com/yuriw-2018-05-22_17:00:30-ceph-disk-jewel-distro-basic-vps/ | PASSED / FAILED |
| | http://pulpito.front.sepia.ceph.com:80/yuriw-2018-05-22_23:12:05-ceph-disk-jewel-distro-basic-ovh/ | |
| upgrade/client-upgrade | http://pulpito.ceph.com/yuriw-2018-05-22_17:01:45-upgrade:client-upgrade-jewel-distro-basic-ovh | PASSED / FAILED |
| | | |
| upgrade/hammer-x (jewel) | http://pulpito.front.sepia.ceph.com:80/yuriw-2018-05-22_23:13:57-upgrade:hammer-x-jewel-distro-basic-smithi/ | PASSED / FAILED |
| | | |
| upgrade/jewel-x/point-to-point-x | http://pulpito.ceph.com/yuriw-2018-05-22_17:06:51-upgrade:jewel-x:point-to-point-x-jewel-distro-basic-ovh | PASSED / FAILED |
| | http://pulpito.front.sepia.ceph.com:80/yuriw-2018-05-22_23:15:11-upgrade:jewel-x:point-to-point-x-jewel-distro-basic-smithi/ | |
| powercycle | http://pulpito.ceph.com/yuriw-2018-05-22_17:07:42-powercycle-jewel-distro-basic-smithi | PASSED / FAILED |
| | | |
| ceph-ansible | http://pulpito.ceph.com/yuriw-2018-05-22_17:08:59-ceph-ansible-jewel-distro-basic-ovh | PASSED |
| | | |
| ===== | | PASSED / FAILED |
| | | |
| | | |

#34 - 07/18/2018 09:28 AM - Nathan Cutler

- Status changed from In Progress to Resolved