

```
-- Logs begin at Mon 2020-01-20 15:28:00 IST, end at Sun 2020-03-15 23:01:55 IST. --
Mar 06 10:36:09 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...
Mar 06 10:36:09 localhost.localdomain openvpn[17382]: Options error: In [CMD-LINE]:1: Error
opening configuration file: sepia.conf
Mar 06 10:36:09 localhost.localdomain openvpn[17382]: Use --help for more information.
Mar 06 10:36:09 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main
process exited, code=exited, status=1/FAILURE
Mar 06 10:36:09 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with
result 'exit-code'.
Mar 06 10:36:09 localhost.localdomain systemd[1]: Failed to start OpenVPN tunnel for sepia.
Mar 06 10:41:39 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...
Mar 06 10:41:39 localhost.localdomain openvpn[17556]: Options error: In [CMD-LINE]:1: Error
opening configuration file: sepia.conf
Mar 06 10:41:39 localhost.localdomain openvpn[17556]: Use --help for more information.
Mar 06 10:41:39 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main
process exited, code=exited, status=1/FAILURE
Mar 06 10:41:39 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with
result 'exit-code'.
Mar 06 10:41:39 localhost.localdomain systemd[1]: Failed to start OpenVPN tunnel for sepia.
Mar 06 11:05:34 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...
Mar 06 11:05:34 localhost.localdomain openvpn[18888]: WARNING: file 'sepia/tlsauth' is group
or others accessible
Mar 06 11:05:34 localhost.localdomain openvpn[18888]: OpenVPN 2.4.8
x86_64-redhat-linux-gnu [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [PKCS11] [MH/PKTINFO]
[AEAD] built on Nov  1 2019
Mar 06 11:05:34 localhost.localdomain openvpn[18888]: library versions: OpenSSL 1.1.1d FIPS
10 Sep 2019, LZO 2.08
Mar 06 11:05:34 localhost.localdomain systemd[1]: Started OpenVPN tunnel for sepia.
Mar 06 11:05:34 localhost.localdomain openvpn[18888]: Outgoing Control Channel
Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication
Mar 06 11:05:34 localhost.localdomain openvpn[18888]: Incoming Control Channel
Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication
Mar 06 11:05:34 localhost.localdomain openvpn[18888]: failed to find GID for group nogroup
Mar 06 11:05:34 localhost.localdomain openvpn[18888]: Exiting due to fatal error
Mar 06 11:05:34 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main
process exited, code=exited, status=1/FAILURE
Mar 06 11:05:34 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with
result 'exit-code'.
-- Reboot --
Mar 09 09:19:06 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...
Mar 09 09:19:06 localhost.localdomain openvpn[1860]: WARNING: file 'sepia/tlsauth' is group or
others accessible
```

Mar 09 09:19:06 localhost.localdomain openvpn[1860]: OpenVPN 2.4.8
x86_64-redhat-linux-gnu [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [PKCS11] [MH/PKTINFO]
[AEAD] built on Nov 1 2019

Mar 09 09:19:06 localhost.localdomain openvpn[1860]: library versions: OpenSSL 1.1.1d FIPS
10 Sep 2019, LZO 2.08

Mar 09 09:19:06 localhost.localdomain systemd[1]: Started OpenVPN tunnel for sepia.

Mar 09 09:19:06 localhost.localdomain openvpn[1860]: Outgoing Control Channel
Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication

Mar 09 09:19:06 localhost.localdomain openvpn[1860]: Incoming Control Channel
Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication

Mar 09 09:19:07 localhost.localdomain openvpn[1860]: failed to find GID for group nogroup

Mar 09 09:19:07 localhost.localdomain openvpn[1860]: Exiting due to fatal error

Mar 09 09:19:07 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main
process exited, code=exited, status=1/FAILURE

Mar 09 09:19:07 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with
result 'exit-code'.

Mar 11 11:24:52 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...

Mar 11 11:24:52 localhost.localdomain openvpn[31325]: WARNING: file 'sepia/tlsauth' is group
or others accessible

Mar 11 11:24:52 localhost.localdomain openvpn[31325]: OpenVPN 2.4.8
x86_64-redhat-linux-gnu [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [PKCS11] [MH/PKTINFO]
[AEAD] built on Nov 1 2019

Mar 11 11:24:52 localhost.localdomain openvpn[31325]: library versions: OpenSSL 1.1.1d FIPS
10 Sep 2019, LZO 2.08

Mar 11 11:24:52 localhost.localdomain systemd[1]: Started OpenVPN tunnel for sepia.

Mar 11 11:24:52 localhost.localdomain openvpn[31325]: Outgoing Control Channel
Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication

Mar 11 11:24:52 localhost.localdomain openvpn[31325]: Incoming Control Channel
Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication

Mar 11 11:24:53 localhost.localdomain openvpn[31325]: failed to find GID for group nogroup

Mar 11 11:24:53 localhost.localdomain openvpn[31325]: Exiting due to fatal error

Mar 11 11:24:53 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main
process exited, code=exited, status=1/FAILURE

Mar 11 11:24:53 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with
result 'exit-code'.

Mar 11 11:29:44 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...

Mar 11 11:29:44 localhost.localdomain openvpn[31430]: WARNING: file 'sepia/tlsauth' is group
or others accessible

Mar 11 11:29:44 localhost.localdomain openvpn[31430]: OpenVPN 2.4.8
x86_64-redhat-linux-gnu [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [PKCS11] [MH/PKTINFO]
[AEAD] built on Nov 1 2019

Mar 11 11:29:44 localhost.localdomain openvpn[31430]: library versions: OpenSSL 1.1.1d FIPS
10 Sep 2019, LZO 2.08

Mar 11 11:29:44 localhost.localdomain systemd[1]: Started OpenVPN tunnel for sepia.
Mar 11 11:29:44 localhost.localdomain openvpn[31430]: Outgoing Control Channel Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication
Mar 11 11:29:44 localhost.localdomain openvpn[31430]: Incoming Control Channel Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication
Mar 11 11:29:44 localhost.localdomain openvpn[31430]: failed to find GID for group nogroup
Mar 11 11:29:44 localhost.localdomain openvpn[31430]: Exiting due to fatal error
Mar 11 11:29:44 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main process exited, code=exited, status=1/FAILURE
Mar 11 11:29:44 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with result 'exit-code'.
Mar 11 12:01:30 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...
Mar 11 12:01:30 localhost.localdomain openvpn[32569]: WARNING: file 'sepia/tlsauth' is group or others accessible
Mar 11 12:01:30 localhost.localdomain openvpn[32569]: OpenVPN 2.4.8 x86_64-redhat-linux-gnu [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [PKCS11] [MH/PKTINFO] [AEAD] built on Nov 1 2019
Mar 11 12:01:30 localhost.localdomain openvpn[32569]: library versions: OpenSSL 1.1.1d FIPS 10 Sep 2019, LZO 2.08
Mar 11 12:01:30 localhost.localdomain systemd[1]: Started OpenVPN tunnel for sepia.
Mar 11 12:01:30 localhost.localdomain openvpn[32569]: Outgoing Control Channel Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication
Mar 11 12:01:30 localhost.localdomain openvpn[32569]: Incoming Control Channel Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication
Mar 11 12:01:30 localhost.localdomain openvpn[32569]: failed to find GID for group nogroup
Mar 11 12:01:30 localhost.localdomain openvpn[32569]: Exiting due to fatal error
Mar 11 12:01:30 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main process exited, code=exited, status=1/FAILURE
Mar 11 12:01:30 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with result 'exit-code'.
Mar 13 14:13:33 localhost.localdomain systemd[1]: Starting OpenVPN tunnel for sepia...
Mar 13 14:13:33 localhost.localdomain openvpn[207612]: WARNING: file 'sepia/tlsauth' is group or others accessible
Mar 13 14:13:33 localhost.localdomain openvpn[207612]: OpenVPN 2.4.8 x86_64-redhat-linux-gnu [SSL (OpenSSL)] [LZO] [LZ4] [EPOLL] [PKCS11] [MH/PKTINFO] [AEAD] built on Nov 1 2019
Mar 13 14:13:33 localhost.localdomain openvpn[207612]: library versions: OpenSSL 1.1.1d FIPS 10 Sep 2019, LZO 2.08
Mar 13 14:13:33 localhost.localdomain systemd[1]: Started OpenVPN tunnel for sepia.
Mar 13 14:13:33 localhost.localdomain openvpn[207612]: Outgoing Control Channel Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication
Mar 13 14:13:33 localhost.localdomain openvpn[207612]: Incoming Control Channel Authentication: Using 160 bit message hash 'SHA1' for HMAC authentication

Mar 13 14:13:34 localhost.localdomain openvpn[207612]: failed to find GID for group nogroup
Mar 13 14:13:34 localhost.localdomain openvpn[207612]: Exiting due to fatal error
Mar 13 14:13:34 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Main
process exited, code=exited, status=1/FAILURE
Mar 13 14:13:34 localhost.localdomain systemd[1]: openvpn-client@sepia.service: Failed with
result 'exit-code'.