

teuthology - Feature #10491

Teuthology needs to be updated to be able to use puddle builds.

01/08/2015 06:11 PM - Warren Usui

Status:	Closed	% Done:	0%
Priority:	Normal	Spent time:	0.00 hour
Assignee:	Vasu Kulkarni		
Category:			
Target version:	sprint29		
Source:	other	Reviewed:	
Tags:		Affected Versions:	
Backport:			

Description

Puddle builds are in:

<http://download.eng.bos.redhat.com/rel-eng/RHCeph/1.2-RHEL-7/>

Teuthology needs to be updated to be able to use these for installation.

History

#1 - 02/03/2015 06:54 PM - Zack Cerza

- Target version set to sprint23

#2 - 02/17/2015 06:38 PM - Zack Cerza

- Target version changed from sprint23 to sprint24

#3 - 03/03/2015 06:42 PM - Zack Cerza

- Target version changed from sprint24 to sprint25

#4 - 03/31/2015 05:33 PM - Zack Cerza

- Target version changed from sprint25 to sprint26

#5 - 04/14/2015 05:32 PM - Zack Cerza

- Target version changed from sprint26 to sprint27

#6 - 05/13/2015 05:41 PM - Zack Cerza

- Target version changed from sprint27 to sprint28

#7 - 05/13/2015 05:41 PM - Zack Cerza

- Assignee set to Tamarasi muthamizhan

#8 - 05/13/2015 09:51 PM - Tamarasi muthamizhan

- Assignee changed from Tamarasi muthamizhan to Vasu Kulkarni

#9 - 05/26/2015 05:37 PM - Zack Cerza

- Target version changed from sprint28 to sprint29

#10 - 07/21/2015 05:26 PM - Zack Cerza

- Status changed from New to Need More Info

This should be provided by the downstream-setup.yml playbook now, right?

#11 - 07/21/2015 05:29 PM - Vasu Kulkarni

- *Status changed from Need More Info to Closed*

using ansible downstream-setup.yml any repo can be setup and using rhbuid key in install task, one can install rh packages.