Ceph - Bug #11693

pidfile is overwritten and removed if the ceph-osd with the specified pidfile is already running

0%

0.00 hour

05/21/2015 05:56 AM - Xinze Chi

Status: Resolved

Resolved % Done:
Urgent Spent time:

Assignee: Kefu Chai

Category:

Priority:

Target version:

Source: Community (dev) Affected Versions:

Tags: ceph-qa-suite:

Backport: Pull request ID:

Regression: No Crash signature (v1):

Severity: 3 - minor Crash signature (v2):

Reviewed:

Description

If osd.5 is already up and running, following command will try to start osd.5 again.

/usr/bin/ceph-osd -i 5 --pid-file /var/run/ceph/osd.5.pid

this command fails, but the pid file for osd.5 is removed [1] after the command returns.

so we can not identify the running osd.5 using the pid file any more, hence not able to kill it using its pid.

as a result, test/erasure-code/test-erasure-code.sh will leave us with some running OSD daemons after it returns, even if this test passes.

[1] ceph-osd use pidfile_write(g_conf) to write pid file, use atexit(pidfile_remove_void) to remove the pid file.

Associated revisions

Revision f417eda9 - 05/22/2015 07:22 PM - Kefu Chai

tests/test-erasure-code: spin off eio tests into another testsuite

- since the eio tests crashes some of the OSD nodes, before the change, the tests try to undo the crash before moving on, so it won't interfere with following tests. a more robust/clean way to do this is to isolate individual tests in a sandbox, so each eio test will have its own:
 - setup + inject + verify crash + teardown cycle. this change helps to remove the cleanup/undo steps in invidual test.
- update the disabled tests accordingly.
- use a minimum set of OSDs and R-S(2,1) for the testing to speed up the test.
- add the new testsuite to check_SCRIPTS

Fixes: #11693

Signed-off-by: Kefu Chai < kchai@redhat.com >

04/03/2024 1/2

History

#1 - 05/21/2015 06:20 AM - Kefu Chai

- Description updated

#2 - 05/21/2015 06:22 AM - Kefu Chai

- Subject changed from Do not rewrite and remove pidfile when there are ceph-osd is already running to pidfile is overwritten and removed if the ceph-osd with the specified pidfile is already running

#3 - 05/21/2015 06:23 AM - Kefu Chai

- Description updated

#4 - 05/21/2015 08:33 AM - Kefu Chai

- Status changed from New to Fix Under Review

https://github.com/ceph/ceph/pull/4736

#5 - 05/21/2015 09:01 AM - Loïc Dachary

- Assignee set to Kefu Chai
- Priority changed from High to Urgent

#6 - 05/22/2015 02:21 PM - Kefu Chai

- Source changed from other to Community (dev)

#7 - 05/25/2015 05:46 AM - Kefu Chai

- Status changed from Fix Under Review to Resolved

04/03/2024 2/2