

## Ceph - Bug #13473

### ceph-fuse --localize\_reads is not work

10/13/2015 08:17 AM - Wei Luo

<b>Status:</b>	Resolved	<b>% Done:</b>	0%
<b>Priority:</b>	Urgent	<b>Spent time:</b>	0.00 hour
<b>Assignee:</b>	Wei Luo		
<b>Category:</b>			
<b>Target version:</b>			
<b>Source:</b>	other	<b>Affected Versions:</b>	v0.94.3
<b>Tags:</b>		<b>ceph-qa-suite:</b>	fs
<b>Backport:</b>		<b>Pull request ID:</b>	
<b>Regression:</b>	No	<b>Crash signature (v1):</b>	
<b>Severity:</b>	3 - minor	<b>Crash signature (v2):</b>	
<b>Reviewed:</b>			

#### Description

when use --localize\_reads in ceph-fuse. Objecter will read config crush\_location to compare the localize and choose the minimize osd id.

objecter register a config change handler but not called it. So if you use 'config set crush\_location'. It works. But if you set it in ceph.conf. It does not work.

By the way. I think it should update only crush\_location instead of check all config handler called in RadosClient.

#### Associated revisions

##### Revision 1deb31df - 10/13/2015 08:21 AM - weill

Init crush\_location in Objecter from config file.

Fixes: #13473

Signed-off-by: Wei Luo<[weilluo@tencent.com](mailto:weilluo@tencent.com)>

#### History

##### #1 - 10/13/2015 08:26 AM - Wei Luo

<https://github.com/ceph/ceph/pull/6243>

##### #2 - 10/13/2015 02:54 PM - Samuel Just

- Project changed from Ceph to CephFS

- Priority changed from Normal to Urgent

##### #3 - 10/14/2015 02:23 AM - Kefu Chai

- Status changed from New to Fix Under Review

##### #4 - 10/14/2015 03:25 AM - Greg Farnum

- Project changed from CephFS to Ceph

Despite the ceph-fuse tag this looks to be all Objecter-side stuff.

##### #5 - 11/03/2015 03:31 PM - Samuel Just

- Status changed from Fix Under Review to Resolved

