

rbd - Bug #20484

snap can be removed while it is been using by rbd-nbd device

07/02/2017 03:43 AM - xin mycho

Status: Won't Fix	% Done: 0%
Priority: Low	Spent time: 0.00 hour
Assignee:	
Category:	
Target version: v12.1.0	
Source:	Reviewed:
Tags:	Affected Versions:
Backport:	ceph-qa-suite:
Regression: No	Pull request ID:
Severity: 3 - minor	Crash signature:
Description	
I maped a snap to rbd-nbd device by cmd: 1. rbd-nbd map rbd/test@snap but if i remove the snap accidentally, then i found the cmd: 'rbd-nbd list-mapped' can show my map list but the nbd device disappeared look by cmd lsblk so i think before we map a snap to a nbd device, we should protect the snap.	

History

#1 - 07/02/2017 04:20 AM - xin mycho

Solution:

<https://github.com/ceph/ceph/pull/16057>

#2 - 07/12/2017 03:38 PM - Sage Weil

- Project changed from Ceph to rbd
- Status changed from New to Fix Under Review
- Assignee deleted (Sage Weil)
- Priority changed from High to Urgent

#3 - 07/12/2017 03:48 PM - Jason Dillaman

- Priority changed from Urgent to Low

#4 - 07/16/2018 03:46 PM - Jason Dillaman

- Status changed from Fix Under Review to New

#5 - 04/18/2019 05:54 PM - Jason Dillaman

- Status changed from New to Won't Fix