

rbd - Feature #3398

ObjectCacher: add ZERO BufferHead type

10/24/2012 11:12 AM - Sage Weil

Status: Resolved	% Done: 0%
Priority: Normal	Spent time: 0.00 hour
Assignee:	
Category:	
Target version: v0.55b	
Source:	Reviewed:
Tags:	Affected Versions:
Backport:	Pull request ID:
Description Currently we allocate and zero a buffer. Instead, add a ZERO buffer type and make the read/write logic deal with it.	

History

#1 - 10/24/2012 11:12 AM - Sage Weil

- translation missing: en.field_position deleted (1)

- translation missing: en.field_position set to 9

#2 - 10/24/2012 11:12 AM - Sage Weil

- Description updated

#3 - 10/24/2012 11:39 AM - Sage Weil

- translation missing: en.field_story_points set to 2

- translation missing: en.field_position deleted (9)

- translation missing: en.field_position set to 9

#4 - 10/27/2012 01:58 PM - Sage Weil

- Target version set to v0.55b

- translation missing: en.field_position deleted (12)

- translation missing: en.field_position set to 8

#5 - 10/27/2012 01:58 PM - Sage Weil

- Status changed from New to Fix Under Review

- translation missing: en.field_position deleted (8)

- translation missing: en.field_position set to 8

#6 - 10/29/2012 11:28 AM - Sage Weil

- Status changed from Fix Under Review to Resolved

- translation missing: en.field_position deleted (14)

- translation missing: en.field_position set to 14