

## rd - Bug #38660

### librbd: avoid aggregate-initializing IsWriteOpVisitor

03/11/2019 12:14 PM - Willem Jan Withagen

<b>Status:</b> Resolved	<b>Start date:</b> 03/11/2019
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b> v13.2.5	<b>Spent time:</b> 0.00 hour
<b>Source:</b>	<b>Reviewed:</b>
<b>Tags:</b>	<b>Affected Versions:</b>
<b>Backport:</b> mimic	<b>ceph-qa-suite:</b>
<b>Regression:</b> No	<b>Pull request ID:</b> 26838
<b>Severity:</b> 3 - minor	
<b>Description</b> Just use the regular class ctor with ()'s instead of {}'s  For error info: <a href="https://github.com/ceph/ceph/pull/26838">https://github.com/ceph/ceph/pull/26838</a>	
<b>Related issues:</b> Copied to rbd - Backport #38684: mimic: librbd: avoid aggregate-initializing ... <b>Resolved</b>	

#### History

##### #1 - 03/11/2019 09:04 PM - Greg Farnum

- Project changed from Ceph to rbd
- Category deleted (librbd)

##### #2 - 03/11/2019 09:08 PM - Jason Dillaman

- Status changed from New to Pending Backport

##### #3 - 03/12/2019 11:56 AM - Nathan Cutler

- Copied to Backport #38684: mimic: librbd: avoid aggregate-initializing IsWriteOpVisitor added

##### #4 - 04/10/2019 09:45 PM - Nathan Cutler

- Status changed from Pending Backport to Resolved