

## Ceph - Bug #39623

### make cluster\_network work well.

05/08/2019 03:26 AM - jianpeng ma

<b>Status:</b> Resolved	<b>% Done:</b> 0%
<b>Priority:</b> Normal	<b>Spent time:</b> 0.00 hour
<b>Assignee:</b>	
<b>Category:</b>	
<b>Target version:</b>	
<b>Source:</b>	<b>Reviewed:</b>
<b>Tags:</b>	<b>Affected Versions:</b>
<b>Backport:</b> nautilus	<b>ceph-qa-suite:</b>
<b>Regression:</b> No	<b>Pull request ID:</b>
<b>Severity:</b> 3 - minor	<b>Crash signature:</b>
<b>Description</b> This temporary parameter make address is zero. So make cluster_addr is equal public_addr and make cluster_network disable.	
<b>Related issues:</b> Copied to Ceph - Backport #39671: nautilus: make cluster_network work well. <b>Resolved</b>	

### History

#### #1 - 05/08/2019 03:27 AM - jianpeng ma

this bug reported by: [xu.jiang@dccsh.icbc.com.cn](mailto:xu.jiang@dccsh.icbc.com.cn)  
PR: <https://github.com/ceph/ceph/pull/27811> fix this bug.

#### #2 - 05/10/2019 01:42 AM - Sage Weil

- Status changed from New to Pending Backport  
- Backport set to nautilus

#### #3 - 05/10/2019 10:55 AM - Nathan Cutler

- Copied to Backport #39671: nautilus: make cluster\_network work well. added

#### #4 - 06/10/2019 10:22 AM - Nathan Cutler

- Status changed from Pending Backport to Resolved