

teuthology - Feature #40972

Make priority field more descriptive

07/26/2019 10:26 AM - Sebastian Wagner

Status:	New	Start date:	07/26/2019
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Core	Estimated time:	0.00 hour
Target version:		Spent time:	0.00 hour
Source:	Development	Reviewed:	
Tags:		Affected Versions:	
Backport:			

Description

The --priority flag accepts a number, but it's not totally clear, which number I should use.

My proposal would be to also accept names, like

```
--priority baseline
--priority pr-run
--priority pr-run-high
--priority pr-run-urgent
--priority pr-run-low
```

Where each name corresponds to a specific value

```
{
  'baseline': 1000
  'pr-run': 100
  'pr-run-high': 90
  'pr-run-urgent': 50
  'pr-run-low': 110
}[priority]
```

History

#1 - 07/26/2019 01:38 PM - Nathan Cutler

The priority is higher, the lower the number is.

100 is a good starting point for manually triggered runs.

#2 - 07/26/2019 02:01 PM - Sebastian Wagner

- Description updated

#3 - 07/26/2019 02:02 PM - Sebastian Wagner

fixed

#4 - 07/26/2019 02:16 PM - Sebastian Wagner

With something like this, we could have a discussion about good priority values