

## rgw - Bug #44123

**rgw: ReplaceKeyPrefixWith and ReplaceKeyWith can not set at the same time and support some HttpStatusCodeReturnedEquals and HttpRedirectCode limit.**

02/13/2020 03:46 PM - joke lee

<b>Status:</b> Resolved	<b>% Done:</b> 0%
<b>Priority:</b> Normal	<b>Spent time:</b> 0.00 hour
<b>Assignee:</b> joke lee	
<b>Category:</b>	
<b>Target version:</b> v16.0.0	
<b>Source:</b>	<b>Reviewed:</b>
<b>Tags:</b>	<b>Affected Versions:</b>
<b>Backport:</b> nautilus	<b>ceph-qa-suite:</b>
<b>Regression:</b> No	<b>Pull request ID:</b> 32609
<b>Severity:</b> 3 - minor	<b>Crash signature:</b>
<b>Description</b>	
in	
<a href="https://docs.aws.amazon.com/AmazonS3/latest/API/API_Redirect.html#AmazonS3-Type-Redirect-ReplaceKeyPrefixWith">https://docs.aws.amazon.com/AmazonS3/latest/API/API_Redirect.html#AmazonS3-Type-Redirect-ReplaceKeyPrefixWith</a>	
<b>ReplaceKeyPrefixWith</b> The object key prefix to use in the redirect request. For example, to redirect requests for all pages with prefix docs/ (objects in the docs/ folder) to documents/, you can set a condition block with KeyPrefixEquals set to docs/ and in the Redirect set ReplaceKeyPrefixWith to /documents. Not required if one of the siblings is present. Can be present only if ReplaceKeyWith is not provided.	
Type: String	
Required: No	
<b>ReplaceKeyWith</b> The specific object key to use in the redirect request. For example, redirect request to error.html. Not required if one of the siblings is present. Can be present only if ReplaceKeyPrefixWith is not provided.	
Type: String	
Required: No	
<b>Related issues:</b>	
Duplicated by rgw - Bug #43563: rgw: ReplaceKeyPrefixWith and ReplaceKeyWith ...	<b>Duplicate</b>
Copied to rgw - Backport #44232: nautilus: rgw: ReplaceKeyPrefixWith and Repl...	<b>Resolved</b>

## History

#1 - 02/13/2020 03:47 PM - joke lee

<https://github.com/ceph/ceph/pull/32609> fix

#2 - 02/20/2020 03:14 PM - J. Eric Ivancich

- Status changed from New to Pending Backport

- Assignee set to joke lee

#3 - 02/20/2020 03:28 PM - Casey Bodley

- Duplicated by Bug #43563: rgw: ReplaceKeyPrefixWith and ReplaceKeyWith can not set at the same time. added

#4 - 02/20/2020 09:47 PM - Nathan Cutler

- Copied to Backport #44232: nautilus: rgw: ReplaceKeyPrefixWith and ReplaceKeyWith can not set at the same time and support some HttpStatusCodeReturnedEquals and HttpRedirectCode limit. added

**#5 - 04/23/2020 01:36 PM - Nathan Cutler**

- Status changed from Pending Backport to Resolved

While running with --resolve-parent, the script "backport-create-issue" noticed that all backports of this issue are in status "Resolved" or "Rejected".