

## CI - Feature #48817

### allow networking in opensuse builds

01/10/2021 10:10 AM - Yuval Lifshitz

<b>Status:</b>	New	<b>% Done:</b>	0%
<b>Priority:</b>	Normal		
<b>Assignee:</b>			
<b>Category:</b>			
<b>Target version:</b>			
<b>Source:</b>	Development	<b>Reviewed:</b>	
<b>Tags:</b>		<b>Affected Versions:</b>	
<b>Backport:</b>		<b>Pull request ID:</b>	
<b>Description</b> as part of this PR: <a href="https://github.com/ceph/ceph/pull/38673">https://github.com/ceph/ceph/pull/38673</a> there is a need for the build code to clone a git repo. this is currently failing see: <a href="https://jenkins.ceph.com/job/ceph-dev-new-build/ARCH=x86_64,AVAILABLE_ARCH=x86_64,AVAILABLE_DIST=leap15,DIST=leap15,MACHINE_SIZE=gigantic/49659/consoleFull">https://jenkins.ceph.com/job/ceph-dev-new-build/ARCH=x86_64,AVAILABLE_ARCH=x86_64,AVAILABLE_DIST=leap15,DIST=leap15,MACHINE_SIZE=gigantic/49659/consoleFull</a> due to lack of internet connectivity during the build. problem does not happen in centos/ubuntu builds.			

#### History

##### #1 - 07/26/2021 08:41 PM - David Galloway

Is this still needed?

##### #2 - 07/27/2021 04:39 AM - Yuval Lifshitz

not needed for the above PR.  
we now use a regular submodule and don't use git as part of cmake