

Orchestrator - Feature #50061

cephadm: automatically redeploy daemons if user changes which container to use

03/30/2021 07:09 PM - Adam King

Status: Fix Under Review	% Done: 0%
Priority: Low	
Assignee: Adam King	
Category: cephadm	
Target version:	
Source:	Reviewed:
Tags:	Affected Versions:
Backport: pacific	Pull request ID: 40507
Description If a user changes the image to use for a monitoring stack daemon using 'ceph config set mgr mgr/cephadm/container_image_<daemon_type>' as documented here https://docs.ceph.com/en/latest/cephadm/monitoring/#using-custom-images the daemon will remain on the old image until the user redeploys it themselves. We could just check if this image differs from the one the running daemon is using and redeploy if that's the case.	
Related issues: Related to Orchestrator - Documentation #50687: cephadm: must redeploy monito... Resolved	

History

#1 - 03/31/2021 12:20 PM - Adam King

- Status changed from New to Fix Under Review
- Pull request ID set to 40507

#2 - 03/31/2021 09:44 PM - Ken Dreyer

- Backport set to pacific

#3 - 05/10/2021 08:49 AM - Sebastian Wagner

- Category set to cephadm/monitoring

#4 - 05/27/2021 09:52 AM - Sebastian Wagner

- Subject changed from cephadm: automatically redeploy monitoring stack images if user changes which container to use to cephadm: automatically redeploy daemons if user changes which container to use
- Category changed from cephadm/monitoring to cephadm

#5 - 05/27/2021 09:53 AM - Sebastian Wagner

- Related to Documentation #50687: cephadm: must redeploy monitoring stack daemon after changing image config value to cause daemon to use new image added