

Ceph - Bug #960

obsync: support rados pool "buckets"

03/30/2011 12:59 PM - Sage Weil

Status:	Resolved	% Done:	0%
Priority:	Normal	Spent time:	0.00 hour
Assignee:	Colin McCabe		
Category:	obsync		
Target version:	v0.29		
Source:		Reviewed:	
Tags:		Affected Versions:	
Backport:		ceph-qa-suite:	
Regression:	No	Pull request ID:	
Severity:	3 - minor	Crash signature:	
Description			
- sync directly to/from librados - copy amazon acl's into same xattr name that radosgw uses, so that this is equivalent (modulo the bucket acl) to syncing via radosgw			

History

#1 - 04/18/2011 11:00 AM - Sage Weil

- translation missing: en.field_story_points set to 5
- translation missing: en.field_position set to 629

#2 - 04/18/2011 11:16 AM - Greg Farnum

- translation missing: en.field_position deleted (631)
- translation missing: en.field_position set to 639

#3 - 05/02/2011 10:02 AM - Sage Weil

- translation missing: en.field_position deleted (636)
- translation missing: en.field_position set to 19

#4 - 05/08/2011 10:35 PM - Sage Weil

- Target version changed from v0.28 to v0.29

#5 - 05/09/2011 04:32 PM - Sage Weil

- translation missing: en.field_position deleted (30)
- translation missing: en.field_position set to 1

#6 - 05/19/2011 10:14 AM - Sage Weil

- Assignee set to Colin McCabe

#7 - 05/26/2011 01:22 PM - Colin McCabe

- Status changed from New to Resolved

- sync directly to/from librados

Implemented in the rgw: target.

- copy amazon acl's into same xattr name that radosgw uses, so that this is equivalent (modulo the bucket acl) to syncing via radosgw

Implemented via --xuser